p156

LML

1890-91

File No -28 dt 1

Sl No - 1-4

103-92

G. R. S. IX-5

1890-91

Previous references.

~~New Ltr~~, 14-89-1 ✓

192

(~~Gen. Ltr.~~ Miscellaneous)

File No. 28-90

Serial Nos 1 to 46.

Later references.

Serial Nos. 1 to 46.

Part B for

SUBJECT.

Re Taxation on house service pipes in Mysore city.

46- To The Comptroller Mr. G.
Examiner & W. Accounts
President, Mysore, City letter 7.
No 11451-53 of 10-1-1902
- L.R. 103-92

Authorizes the Comptr: to adjust the amount paid Rs 45, by deducting it to the procedure of Rs 17587 made under the head XI Deposits (7) "Miscellaneous Charges" Counterfoil

WD 1888—GPB—16,826—23-7-21

Entered
Mar. 2

(13)

Mar 26-90

~~C.A. Howen~~

C.A. Howen's note on
regard to the charges to be
levied from on house
service pipes in Mysore
has been referred to me
for my opinion. —.

2 — The present rule is
that persons applying
for house service pipes
should pay the cost of
the pipes & make an
annual payment of Rs 50 for
the conditions of the supply
are,

1/2" service pipes.

(1) House distribution
valuable to be stopped

(2) Supply to be
restricted to
domestic use

(3) ~~Public~~ Pipes to be
accessible to Officers
incharge of water
supply at all times. —

3 — People may contribute

that the rate is heavy, & the conditions hard.

4. In Madras house service pipes are allowed to all applicants on payment of the cost of pipes & no special charge is collected from the house holders, but 4 per cent on the valuation of the houses — on ~~some~~ popular parts, & 2 per cent on other parts is collected from all householders whether they have service pipes or not — any small houses of the annual value of 14 Rs or less are exempted. —

5. It is only just that we should adopt a similar plan — Pipe use water whether service pipes are allowed or not; & I do not see why those alone that have service pipes should pay — the Municipal

Regulation (Sec 199)
authorises a levy of 2
per cent on the
valuation of houses as
as water tax & Sec 201
entitles every person
paying the water rate
to demand house service
pipes free of further
charge:—

6— I think the re
demand pipes are the
to introduce the water
rate tax under Sec
199— The present
house tax or hydrau
whether collected at
5 per cent of the valuation
is Rs 13768, & supposing
the charge only one per
cent, the wld get about
Rs 2750, a year— I
have no information
as to the annual cost
of the maintenance
of water works & cannot therefore
say whether 1 per
cent will do or not—
Moreover the tax
cannot be introduced

2754

till the water works are made to the Municipality.—

7 Col Bowen suggests that the water rate at 2 per cent may be charged at once on houses supplied with service pipes.— I do not think that this will give us any appreciable Revenue, & further it would be illegal to introduce it before the water works are made over to the Municipality.—

8. What I would suggest in response is, to refer the matter to the Municipality, & ask them to state the annual cost of the maintenance of the water works, & how they propose to meet it, when they are made over to the Municipality.

Lel
6/8/90

This letter may be made
What has been said
ready Col Bowen with
reference to 5. 12 sq drawings the
substance of para 2 of

April 29-90 71

Provided for by Section
197 of the Local Regula
tions of

RD. 7 Mm.
27/8/97

26/1/97

II

The President should
be asked not to waste
the time of Govt by
supporting all manner
of proposals for levying
the water rate when
the Regulations to
govern the Municipalities
lay down clear
instructions as when
a water rate shall
be levied & what
is the limit of
taxation under the
head. The President
will be good enough
to call the attention
of the Board to
Sec. 197 of the Reg

of the Municipal
Regulations, they
do not contemplate
any Grant by the
Board of more
than 2 per cent
of the Rental Value.
I am advised that,
the Board to require
for interest, & Maintenance
& Sinking Fund,
Charges, whatever the
amount. There
is simple question
which the Board
must decide. Whether
Ratepayers at large
should contribute
by their Rates
for extraordinary Cost

Yours Faithfully
[illegible]
Secretary

Note. What
does the Office
note mean by
"on house"
Connection?

5/8/99

Sub to Secretary

Orders have not been passed on
the other point raised in the Press &
letter viz. that the charges of the High Level Works
last year, at least, may be directed
to be met from Provincial Funds
This can be dealt with draft
Reply — Please
see Minute of Subcommittee
12/8/99

Memo

The Govt. having finally decided that the cost of maintenance of the Vani Vilas water works was a proper charge upon the municipal funds of the Mysore City, the Board have considered the ways and means of meeting the cost; but they request that the charges incurred in the past year at least may be ordered to be met from Provincial funds as heretofore on the ground that the "Closing Balance" will otherwise be affected.

(2) That Sanction

Proc 10 13003-5 of 15-5-99
L-9103-92

may be accorded to the levy of general water tax at 4 cts per Rupee on House tax, exemption being allowed in respect of houses which have house connection pipes and which pay separately for the same.

See 198 of the Municipal Regulations prescribes the procedure to be adopted prior to the levy of water Tax and see 199 fixes the maximum rate at 2 per cent on the annual value of the buildings, but does not allow exemption of the kind proposed.

Submitted.
BD 22/7/99 21/7/99
Section 198.

What is the rate of water house tax levied at present? I am of opinion the Board was not yet prepared to open the new Connections under the Municipal Regulations. I do not see reference on the subject heard.
(b) 24-7-99

(a) All Mysore House Taxes levied not under Municipal Regulation but at progressive rates prescribed in detail in para 11 of Proc No 3362-73 of dated 27.9.79 (Rev Manual page 167) on the valuation of Houses.

(b) Letter No 272 dated 18th ~~Nov~~ 1899 from the President has been pending in the Legislature (20th Inst.) Branch. Recently, ~~subsequently~~ the same was obtained and submitted to the Rev Commissioner with a recent reference from the President, indicating ways and means for meeting the annual instalments payable on the further loans applied for by the City.

Submitted
BD 25/7/99
25/7

To Mr E. Dr.
The water supply system was not considered by the Commissioners when therefore doubtful whether they can levy a water rate at any rate they can open

Vide 25-90

Vide.

The Chief Engineer having requested sanction to the formal transfer to the Hyderabad Municipality of the additional distribution [sic.] of water to the Hyderabad City from the Nanibala waterworks, the President was asked if the Board was prepared to accept the proposed transfer.

In reply, the President invited attention to Rs. 198 to 201 of the Madras Municipal Regns., and enquired (1) whether the water supply was completed, and, if so, (2) whether the quantity of water in the works with the present carrying capacity of the water mains in the streets would be sufficient to meet the demand of applicants for house-connection.

This having been referred to the Chief Engineer, the following information is now furnished -

(1) The water supply of the Hyderabad City is now completed.

(2) The system of distribution pipes is capable of allowing a house connection to every householder for the "domestic use" of himself and his household.

In this connection, the Municipal Engineer says on the strict definition of "domestic" supply in S. 202 of the Municipal Regns., and draws attention to the terms of the existing supply by the Municipality

as well as by Govt offices and private persons, & for purposes other than domestic, and to the capacity of house taps being in several instances in excess of what is needful.

To dispose of the letter from the Resident, which is pending, it is sufficient to send him for information a copy of the Sanitary Engineer's report.

I however put up for possible reference a copy of the draft amending Regn which we sent up in Sept. last to the Govt of India, and in respect of which I submit separately today a draft reminder to the Residency.

In this draft Regn. the def.n of "for the purpose" has been substantially retained as before. Post i laying down of communication is made subject to rules and restrictions to be prescribed by Govt and provision has been made for the regulation of the supply to be drawn free of charge from the pipes in accordance with the amount of water-rate paid by householders. ~~Besides this~~ ~~all disputes~~ ~~shall be decided directly by the Govt~~ ~~subject~~. The question of the amount of water tax which has to be imposed does not arise on the present correspondence.

Subj to Secy's

6.12.99.

did not the Revenue Dept all under the altered law? that no levy of water rate can be instituted till the cost of last year's maintenance might be paid from new funds. But it was the meaning of the Executive? 7-12-99.

Vide 26-90

The papers are stated to be in the D.D.O. Vide slip of file.

The Pres. of the Cuppa Municipality has asked for certain information; we have obtained it from the Sanitary Engineer; and it remains now merely to communicate the same to the President.

Subs. to see.

8.12.99.

Please send me a copy of the D-n ---
as soon

A Chandra
Dy. Sec. 18/12

Min 28-9-00 Vote

Min &c. Failure of water supply in Nyasa City.

Under date the 31st March 1900 the Municipal Council of the Nyasa City made the following report:-

"Since the last three months ... during the dry season."

~~The above~~ Copy of the ~~Report~~ with reference to ~~this~~ the following order was "This is a necessary ... passed.

3. The Municipal Council sends the following report in continuation "The Council has already ... passed by the City."

4. This report ~~was~~ also sent to the Chief Secretary with the remark that "the first Claim in appeal ... time."

5. The present office note to note ~~book~~ for the Commissioner's information, &c.

D.C.

R. Rowarly & K. Jarge

Rec'd 96 00 12.5.00
L 16/2354 9/12.5.00
I. 103-92

Submitted to the Acting Secy with fair copy. May the Acting Secy submit the Council's letter with the Memo remarks thereon & may a separate sheet be prepared as allowed in the order named in Memo

Memo

Forwarded to the Secy P.W.D. with copy of letter from the Municipal Council of ... with the remark that Govt. cannot but regret that this failure should have taken place at this inopportune time.

W.K. 12.5.

Failure of water supply in Nyasaland City.

Under date the 31st March 1900 the Municipal Board of the Nyasaland City made the following report:-

"Since the last three months ... during the wet rains."

2. The above was sent to the Municipal Board with reference to the following order of Council

"This is a very serious ... position."

3. The Municipal Board now sends the following report in which they state

"The Municipal Board has already ... now ... position of the City

4. This report was also sent to the Chief Engineer with the remark that "the first Class ... appeal ... time."

5. The present duty note to which ... for the Council is "Under ... Engineer ... P.W.D."

R. Rowarly & K. Jayer

Rec'd 12.5.00
Rec'd 12.5.00

Subject to the Acting Secretary's letter fair copy. May the Sheet and the Council's with the Memo. remarks duly go or may a separate sheet be prepared and allowed to the order ... Memo

Forwarded to the Secretary P.W.D. ... Minute No 11382 of ... with the remark that Govt. cannot but regret that this failure should have taken place at this inopportune ...

W.K. 12.5.

X In the Sanitary Supt Engr's Office, / probably you can find out
Two other queries, one in the memo & one on the Comptroller's letter have not been answered. Please do so & let me have the papers back at once. There has been too long a delay in dealing with these papers.

28/2/07

X We have not been able to find

The office is not in Public offices Buildings
If approved an official requisition will be sent. I know none in this office and no problem arranged that office some time ago

20/2/07

1.S. etc 28/2/07

Memo

In Pro etc 8481-83 (sl 24) dated mes 1875

21st January 1899, it was ordered that the actual expenditure incurred during 1898-99 on account of the maintenance of the Vaniyilas water works should be recovered from the Ollyoor City municipality But in subsequent Pro etc 9412-13 L-T 103-92 of 15/2/900 (sl 11) the municipality was relieved of the charge amounting to Rs 7997-7-4 for the year 1898-99.

(2) As under the authority of the Pro of January 1899, the P W D included the charge in the Sanitary Exchange accounts for June 1899 for recovery from the Ollyoor City Mty

and as the Municipality has recently been relieved of the charge, the Comptroller solicits instructions as to whether the amount should be borne by the Sanitary Dept under part III Construction works or debited to "Profit or Loss" under 24 miscellaneous" in the Genl account Code.

(3) The papers being old, enquiries have been made both in the office of the Examiner and of the Comptroller and it is ascertained that in the Examiners accounts the amount stands debited to the City and County Municipality while in those of the Comptroller the same is entered as "an outstanding item not finally adjusted"

Draft submitted directing the charge to be debited to the Sanitary Dept.

O.J. 29/1/01

Memo (Contd)

March 23-90

The Comptroller's re
ference having been for-
warded to the Secty PWD
for favour of an early
expression of opinion that
officer states that "there
being no provision in the
current year's Sanitary
works Budget to cover
the charge it may be
debited to "Profit & loss"
under 24 miscellaneous Civil
Accounts as suggested by
the Comptroller"

Submitted for orders.

Asst
18/2

org 19/2

Subd to the Secy.
hrs.
20/2/01.

Rebly accepts
A

A.S.ch org 22/2 22/2/01 hrs 22/2
Rev 2 2 01 Drafted 25/2 25/2

March 26-90

Memo

Maintenance charges of the Vani Vilas Water Works for the year 1899-1900

In their proceedings no. 9412-4 L.T. 103-92 of the 15th Feb. or (Spare copy put up) Govt. directed as follows:-

× × ×

4. The charges for 1899-900 will be calculated with effect from the 1st April 1899 without reference to the date on which the management may be actually assumed by the Municipality, or to the levy of any special water-rate by it. The estimate for Rs 9072 for the year 1899-900 submitted by the Chief Engineer is sanctioned, with the remark that the actual outlay incurred should be reported at the

close.

close of the year for recovery from the Municipality".

(5) "The payment on account of maintenance charges shall include the cost of working the Pumping Station as also of the upkeep of the Kukkerhalli reservoir whether or not the Board is able to take over the management of these immediately".

(2) In pursuance of para (4) of the order cited above, the Chief Engineer reported, on the 17th Sept. 00 the actual outlay incurred on account of maintenance charges and working expenses of the said water works and on the annual repairs of the Kukkerhalli water works during 1899-1900 and

+ Letter cw 4444 - dt 35-
Thus prefix requires order

Secretary
Comptroller cw 2968/46
dt 15/11/00

and solicited sanction for recovery of the said amount, viz Rs 11305-1-8 from the Mysore City Municipality,

(3) The Comptroller now submits for the information of the Govt an extract from a letter addressed to him by the Presidt of the Mysore City Mcpy, contending that only the maintenance charges of the water works not exceeding Rs 6000/- provided for in the Budget, should be debited to the Municipal Funds and solicits to be informed as to how the difference of Rs 5941-15-4 should be adjusted. It is noted that the Executive Engr P.W.D. is said to have, in this connection, stated that the

X Get the details of the expenses given anywhere?

maintenance & working charges of the V V Works } Rs 9884-4-
Do Kukkerhalli - 1420-13-8
Total Rs 11305-1-8

22/2607 dtd 30/9/07

No 3965'07/9-11-00 dtd 26

[The current year's Budget provides only Rs 6000 for the maintenance of Vani Vilas water works]

11941-15-4
11305-1-8
636-13-8

debited Rs 11941-15-4 or Rs 636-13-8 more than the amount mentioned in the Chief Engr's letter to the municipality in his exchange accounts

the maintenance charges in question aggregate to Rs 11941-15-4 according to the P.W. Accounts, while according to the Sanitary Superintending Engineer's Docket the actual outlay incurred is Rs 11,305-1-8. Rs 636-13-8 less.

Orders are solicited as to whether the Comptroller may be informed to debit the whole amount to the City Municipality in accordance with the instructions laid down in the order of the 15th Feby 1900.

Read 19/2/01

Submitted 20/2/01

Subd to the Secy.

As per para 4 of the enclosed G.O. No 9412-4-L.T 603-92, dated 15/2/00, the Municipality is bound to pay the maintenance charges for 1899-1900. The amount represented by the Lee as having

been actually spent is Rs 11,205 – 1 – 8 from the copy of the Presidents' letter forwarded by the Comptroller, it seems that the expenses incurred during the year for comps. & the works have also been included in the amount and the Govt. objects to pay such charges on the ground that the water works have been given as a free gift by Govt. The details of the expenditure incurred have not been furnished in Mr. Lee's letter, and it cannot therefore be made out what items are objected to by the Govt.

April 26-90

The Chief Engineer having been requested to explain the descrepancy that officer sends a copy of Mr Lees letter of the 20th March 1901 No 92 where in it is stated "that a charge of Rs 636-13-8 was made to the estimate for cleaning and setting up two High Pressure Turbines which has since been written back to Stock in the Accounts for Febr 1901" and that the amount to be recovered from the Municipality is therefore only Rs 11305-1-8 to which the Mund Vice-President has no objection".

Submitted for orders as to whether the Board of the Mysore City Mc Board may be asked

As per Asstt Comrs orders on cent No 36.

Vide Presidents letter No 821 of 18 6. or denying having given any such consent.

Continued Memo

to adjust the said amount.

Mab 17/4

Sgd 17/5/01

Wait for a reply to this Office No 12258 of 15th March 1901 & 27 103-92 or letter Stella Sent Copies of the Ch Engrs Memo & the Supdt Engrs letter in Continuation of the above No for favor of our Early reply

Sgd 20/4/1901

A S Chas Supt.

Sgd 22/4/01

Docket putting 28/4

The connected papers were accordingly sent to the President with Docket No 14435 27 103-92 of 29.4

The President desires having given consent to the charge in question and submits copies of the D O correspondence between Mr Lee and the Vice-Presdt

The charges for 1900-1901 viz Rs 5492 after deducting the provision of Rs 6000/- made therefor in

+ Letter ex S 21 07 18/6/01

Mail 24-6

+ submitted to III Councillor

in the current years Mil Budget have yet to be adjusted (Please see linked paper)

Submitted for orders of the Secretary -

HB
24/4/1901

Submitted to the 3rd Councillor

HB
24/6

Received 24/6/01
(77).

Is the maintenance charge now included? If not, add & bring up.

8/7

A. S. ch
org 8/7

and - may
I, in, the Budget
for Mysuru
& Nanjangud
for 901-902.

27/6

HB

Hm,
28/6

Submitted with draft & Council statement
org 3/7

HB
4/7/1907

To the 3rd Councillor -
The draft if approved
has to go before the
Council HB
4/7/1907

Secretary

Draft & Foreword approved by the Dewan

As the maintenance
is under Revenue charges
in the Mysore estimates
it might be taken over &
provision & the same in the Budget, HB

Sl. 37 in Sect. III

Sl. 40 in Sect. III

Note

The Chief Engineer having requested sanction to an estimate amounting to Rs 11,492/- for the working and maintenance charges of the Vani Vilas Water Works for 1900-1901, the President of the Mysore City Municipal Council was requested to report whether the Council were prepared to accept the charge and if so, to point out the source from which it could be met, or to submit at once a Supplemental Budget providing for the said debit if no

reappropriation from any of the sanctioned items in the Budget was feasible

(2) In reply the President submits a copy of the Board's Resolution vide which read as follows:-

Resolved that as the financial condition of the Municipality does not permit of bearing this charge, the Govt. be moved to continue to debit the cost from Provincial Funds as heretofore till Municipal finances improve".

Proc. No 7460 of 22.5.09 at No 43 in section

(3) He further adds that a sum of Rs 6000/- is provided in the current year's Budget towards

towards the maintenance
charges of the water works
as was done in the last year
and solicits sanction to the
balance of Rs 5492/- being
debited to Provincial Funds
as proposed by the Board

(4) It is submitted that the
actual maintenance charges
of the Mysore City water
works for the year 1899-1900,
viz Rs 11305-1-8 remains yet
unadjusted. (Vide Separate Memo Subo)

[Nos has been duly provided
for since in the City Budget
for the year 1901-02]

Paras 3 & 4 of the Govt
Progs. No. 9412-4 dy the 15th
L7 103-92
Feb. 1900 clearly defines
the liability of the Board
to bear such annual main-
tenance charges

Submitted for orders

dmj 31/5

As the accounts have
to be adjusted, the sum of

Rs 5,492/- now required has to be granted from Provincial Funds as an additional loan to the Municipality or that the Municipality must be called upon to stop other works to meet the expenditure in question.

Inbd forwdrs.

3/6/1901

Subd to the 3rd [illegible]

Rec'd 24.6.01 (6.32 PM)
(76)

21/6/01

Cost of the maintenance of the western works is a proper charge on the Municipality which has to find the settlers & makes provision for it in the Supplementary Budget now & expenditure which was unexpected & urgent. [illegible]

27/6.

Issue
Form
28/6

Returned to Secretary with the Council's Budget now submitted & Supplementary Estimates

A.S. ch. orig. rec'd 2/6 Orders

2/6

Jul 28. 90

The 3d Councillor's order was communicated to the President in Govt. Progs' no. 1582-6 dated the 27th July 1901 (Please see ol no. 44 in Sect 4 (iii)) L7 103-92

The Chief Engineer has forwarded a statement showing the actual expenditure incurred on the water works during 1900-1901, and requests orders for the adjustment of the amount therein detailed, viz Rs 9656-11-9 by the Mysore City Municipality

Submitted for orders as to whether copies of the Chief Engineer's letter & statement may be sent to the President with a request to expedite his reply to the Govt order of the 27th July 1901.

Yes.
H B
7/9/1901

Accordingly
Ad
7.9.01

Recd & drafted
Mal
9/9

Instead of 5,492 R, 7-9-01 the Board will have to pay, Rs 3,656-11-9 according to — present calculation. 8 B 7

Read:-

Office note by Col: Bowen, Chief Engineer & Secy, D.P.W., dated 5th December 1889, regarding taxation on house-service pipes in Mysore City.

4834-5 / 490 — 17-8-90 / 11

Order thereon:-

Under the authority of Col Bowen's letter to the Sanitary Engineer, Mysore, dated the 22d. August 1888, persons applying for house-service pipes ~~should~~ are required to pay the cost of the pipes, in addition to ~~annually~~ an annual payment of Rs 50/ for ½ inch service pipes - The conditions of the supply are:-

(1) House distribution is liable to be stopped

(2) Supply to be strictly restricted to domestic use.

(3). Pipes not within houses

1890.

To the President.
Mysore Municipality.
Chief Engineer & Ex-Officio
D. P. W.

Draft
August 1890.

4834-5
490

Passing orders regarding taxation on house-service pipes in the City of Mysore.

General Serial No 28.

OFFICE OF CHIEF
4332
12 AUG 90
DEVONSHIRE

1890 - 2

From The Vice-President Municipal Board,
Mysore.

To The Chief Secretary to the Dewan of Mysore

Dated 9th August 1890.

Dispatched 9/8/90.

Received

General No. 320. } 1890.
No.

Enclosures—Numbers Two.

I have the honor to submit herewith Copy of Proceedings of the Municipal Board dated 30th July 1890 together with Municipal accounts for the month of June 1890.

Vice-President Municipal Board
Mysore

To be checked
JWJ

Sd.
checked
6/8/90

(General Serial No. 30).

1890

6329
SEP 90

From The Vice President Municipal Board Mysore

Rec'd 28-9-90

To The Chief Secretary to the Dewan of Mysore

Dated 23rd September 1890

Despatched

Received

Enclosures No. Four

General No. 565
No.

I have the honor to submit herewith copies of Proceedings of the Municipal Board dated 6th and 20th September 1890 together with Municipal accounts for the months of July and August 1890.

I have the honor to be
Sir
Your most obedient servant
Vice President Municipal Board
Mysore

463

Rec'd 28-9-90.3

Rec'd 28-9-90

B2
9-10-90

(General Serial No 60)

189 .

From

The Chief Secretary to the Govt
of Mysore

Mad 28-90-4

To

The Compiler Mysore Gazette

Dated 26 September 1890

Despatched 2-10

Received

Enclosures No. 1

General No 7946

No. 416

Forwards herewith for publication in the Gazette Mysore Proceedings of the ~~Bangalore~~ City Municipal Commissioners dated 30 July 1890 together with cash account for June 1890 and requests that 20 spare copies of the same may be forwarded direct to the President, City Municipality and 3 to this office

By order

Memo

Recd:—

Letter from the Xxx
Govt Kohat Contract dated
20' August 1884
Forwarding the
of Sole Contract for acceptance
of the Guaranteed Estimate

Rec'd:

Docket from the Vice President Municipal Board Mysore dated 23rd September 1890 etc S 65, and

Rec'd 28-9-90

meeting Proceedings of the Municipal Board dated 6 and 20 September 1890 together with municipal accounts for the months of July and August 1890

No 9208/1157 95-11-90

Order thereon

The Proceedings of 20 September 1890 together with the accounts of the Mysore City Municipality for July and August will be forwarded to the Comptr Mysore Gazette for publication in the Gazette

2 The purpose for which 4 members were elected in the [illegible]

of 6th September 1890 is
not stated. The copy
of Proceedings is therefore
returned for reconsideration with
~~a~~ the omission ~~here~~
duly supplied.

5/11/90

Under Secretary

To
The President, of the
Olympia City Council
returning the Proc of 6th Septr 1890

(General Serial No. 56)

189

From

To The Compiler Mysore Gazette

Dated 5th Decr 28-90-6.

Despatched to 6th December 1890

Received

Enclosures No. 3

General No. G 224

No. 1168 L. 10

Forwards herewith for publication in the Gazette Proceedings of the Mysore City municipality dated the ~~6th~~ 20th September 1890 together with accounts for the month of July and August 1890 and requests that 20 spare copies of the same may be forwarded direct to the President Mysore ~~Bangalore~~ City Municipality and three to this office.

By order

A. S.

Under Secretary

(General Serial No. 30)

189/

RECEIVED THE 1386
15 MAY 91
DEWAN OF MYSORE

From The Deputy Commissioner Mysore District

To The Chief Secretary to the Government of Mysore

Dated 14 May 1891

Despatched

Received

Enclosures No. one

General No. 147

No.

Subject Government Proceedings No. 4834-5-490 dated 7th November 1890, calling for submission of report as to the annual cost of the maintenance of the waters works and how the Board proposes to meet the same.

With reference to the above, has the honor to submit herewith copy of resolution passed by the Board on the subject and to state that the cost of maintaining

Local Boards
15/5/91

order

The Chief Secy is requested to state whether he is prepared to undertake the maintenance of water works in the City of Mysore to be immediately.

2. The proposal to lay down a water Comm^r is requested to state the probable amount of the value of the houses which would be liable to water tax under the Resolution now passed.

26/5/91

91
16-5-91

of water works amounts to Rs 12.24 per annum, and that due provision to the the same has been made in the next year's budget of the Mysore City Municipality

As at present house service pipes cannot be given to all that ask for them in Mysore, the undersigned thinks that the present rates of Rs 50 for one inch pipe and Rs 25 for half inch pipe may be allowed to continue.

D Macaulay

Asst Commissioner
Mysore District

Mup L 28-90-7

Proceedings of the Sub committee held on Saturday the 21st February 1891

Present	Absent
Handish Lee Esquire Vice President	David Khan Esqr.
Thimmappah Esquire	R Buttanah Esqr.
& Raja Rao Esquire	Joonga Ranjunda Setty Esqr.
Ahamed Alli Esquire	Revd. H Haigh
Doodda Mullanah Esquire	Runga Raj Urs Esqr.

Subjects

Regarding the maintenance of waters works

Resolved that the works be taken Vide at once and a water tax of 3 annas per Rupee on the present House tax be levied All parties liable to less than 1 Rupee tax to be exempted. Mr. Thimmappah proposed 2 annas per Rupee

Confirmed by the Mum [illegible] Board vide Res. of 3 [illegible] 1 published in the M Ga dy 9 May 1891

Vice President Mysore Board

Read:—

~~Letter~~ DW from the Deputy Commissioner of Mysore Dy 14th May 1891 No: 147 submitting Copy of resolution passed by the Mysore City Municipal Board on the subject of the maintenance of the water-works and stating that a provision has been made for the sum of Rs 1224 per annum in the current year's Budget of the Mysore City Municipality for their maintenance for ~~ensuing~~ and recommending the continuance of the present rates for house service pipes

Mail 28-90-8

No. 2525-b
2184

Order thereon

The Chief Engineer is requested to state whether he is prepared to undertake over the maintenance of Water-works in the City of Mysore to the Municipality

2

R. 42

18

2 The Deputy Commissioner is requested to state the amount of the valuation of the houses which would be liable to water tax under the Resolution now passed

21/6/91

Under Secy

To,

The Chief Engineer.

The Dy Comr, Mysore.

From the Secy to G.P.W. No 2577-3 dt 23/6/91 & No 2732

The Chief Engineer
— Deputy Commr
Mysore District.

Dated 22 June 1891

Sir, 25-25-6.
L. 184.

Requesting him to state whether he is prepared to undertake over the Mysore water-works in the City to the Municipality

1891/92

MYSORE P. W. DEPARTMENT.

No. 2723 / 2232

From The Chief Engineer of Mysore.

To The Chief Secretary to the Dewan of Mysore.

Dated Bangalore 23rd June 91

Despatched

Enclosure No.

Subject.

Reporting that the water works in the City of Mysore, have already been transferred to the Municipality.

Local Board 41

24/6/91

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE

No. 25-85

Bangalore 23rd June

From Chief Engr 28-90-9
The ~~Superintending~~ Engineer of Mysore.

To The Chief Secretary to the,
Dewan of Mysore.

SIR.

With reference to para 1 of Govt: Proceedings
No: 2525-6/184 dated 2nd instt:, enquiring
whether I am prepared to make over the maintenance of the water works in the City of Mysore to the Municipality, I have the honor to report for the information of Government, that the water works have already been transferred to the Municipality, with effect from the 1st April/91, as reported to this Office by the Sanitary Engineer with Mysore.—

I have the honour to be
Sir
Your most obedient Servant,

W D V Stuteley
Chief
~~Superintending~~ Engineer of Mysore.

Encl. Nil

1891/92

MYSORE P W [illegible] OFFICE RECD. 3133

No - 11 - 2163

From

No. 28-90-10

The ~~Superintending~~ Engineer of Mysore.

To The Chief Secretary to the Dewan of Mysore.

Dated Bangalore 4th July 1891

Despatched

Enclosure No.

Subject.

Requesting to obtain the formal sanction of Government to the transfer of water works in the City of Mysore to the Municipality with effect from 1st April 1891 —

Local Commrs

6/91

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE,

No. 2179

Bangalore 4th July 1891

From W. Mc. Hutchin Esqre
~~The Superintending~~ Engineer of Mysore.

To The Chief Secretary to the
Dewan of Mysore.

SIR.

In continuation of this Office ct^o 2585 dated 23rd Ultimo, reporting that the water works in the City of Mysore have been transferred to the Municipality with effect from the 1st April 1891. - I have the honor to request that you will be good enough to obtain the formal sanction of Government to the transfer. ———

I have the honor to be
Sir,
Your most obedient Servant,

W. Mc. Hutchin

~~Superintending~~ Chief Engineer of Mysore

Ed^r Cds

1891

To, Genl 28-90-11

The Chief Engineer

Dy Commr Superintendt

Dated 6th July 1891

No 3972-?

R 280

Requesting the Early
submission of his reply
in regard to the valuation
of houses which would
be liable to water Tax &
the details of the lump
sum of 1224 Rs Stated
to be the annual cost
of the Maintenance of the
water works in the city

(12)

Read:-

Letter from the Chief Engr. dated 23rd June 1891 No 2585, reporting with reference to Govt Opr dated 2nd June 1891 No 2525-6/184, that water works in the City of Cuttack have been transferred to the Municipality in the town with effect from 1st April 1891

No 3972-3
L. 280.

Order thereon

Dated 6th July 1891

Recorded

2 The Dy Com[illegible] Cuttack District is requested expedite the submission of her reply to Para 2 of Govt P, quoted above, in regard to valuation of the houses in Cuttack City, which would liable to water tax under Board's resolution dated 21st January 1891. He is also requested to furnish the detail of the lump sum of Rs 1224. stated to be the annual cost of maintenance of the water work in the City. On receipt of this information, orders will be issued in regard to the levy of water tax in the town.

To. Chief

9 Le 80

MYSORE P. W. DEPARTMENT.

No. 1075 / 5811

CENTRAL OFFICE,

Bangalore, 6th October 1898

From

The Secretary to the Government of Mysore P.W.D

To

The Sanitary Engineer with the Government of Mysore.

His No. 666/148 of 12th March 1898 submitting an Estimate amounting to Rs. 5228/- being cost of working expenses of Vani Vilas Water Works for the Mysore City for the year 1897-

Sir,

In returning the above Estimate duly approved I have the honor to inform the Sanitary Engineer that the Government have been pleased to order that the outlay already incurred on account of working expenses up to end of June 1898 will be debited to the Original project under a separate head and explained in the Completion report for the work. From the 1st July 1898, the working and maintenance charges should be levied Annually from the Municipality and an Estimate providing for same should be submitted for approval.

(Signed) J. J. Whiteley.

Asst. Secy to the Govt. of Mysore.

Recd 28-10-12

No. 1076/5812 Dated 6th October 1898

Copy forwarded to the Secretary to the Government Revenue and General Departments for information

Asst Secy to the Govt of Mysore P.W.D.

A.P.C

OFFICE OF THE DEWAN MYSORE 3273 189

P. W. DEPARTMENT

From

The Secretary to the Govt, Mysore. P.W.D.

To

The Secretary to the Government Revenue and Genl Departments

Dated Bangalore, 6th October 1898.

Despatched

No. 1076 / 5812

Enclosure No

SUBJECT.

Forwarding copy of the letter addressed to the Sanitary Engineer regarding the maintenance Vani Vilas Water works at Mysore

Mil 28-90-13

Here enter No 1076 / 5812 dated

the 6th October 1898 from the

Secretary J.W.D.

Ans 5910 / Mic 1307 11-98

The foregoing copy is

forwarded to the Comptroller

in continuation of this office

No 5792 / Mic 1216 dated the 15th October/98

By order

[signature]

19/11/98

for Secretary

MYSORE P. W. DEPARTMENT

CENTRAL OFFICE,

Bangalore, 17th December 1898

No. 862 —

Mund 28-90-14

From

The Chief Engineer in Mysore

To

The Secretary to the Government of Mysore
Revenue and General Departments

SIR,

With reference to this office No. 1076/5812 dated 6th October 1898, forwarding for information, Copy of order to the Supdg Engineer (late Sanitary Engineer) Sanitary Works Dept; to the effect that from 1st July 898, the working and maintenance charges of the Vanivilas Water Works for the Mysore City will be levied annually from the Mysore City Municipality, - I have the honor to forward the enclosed estimate Amounting to Rs 6,464 providing for the maintenance of above works for the current official year, and to request that you will be so good as to obtain formal sanction of Government in the General Department thereto

II The actual amount spent on account of the maintenance will be intimated at the close of the Official year to the Comptroller, for recovery from the Mysore City Municipality —

I have the honor to be,
Sir,
Your most obedient Servant

[signature illegible]
Chief Engineer of Mysore

Mus 1



From

The Chief Engineer of Mysore

To

The Secretary to the Govt of Mysore
Revenue & Genl. Depts.

Dated Bangalore, 17th December 1898

Despatched

No. 82 Mus 28-90-14

Enclosure No 1 Estimate with Report.

SUBJECT.

Forwarding estimate amounting to Rs 64,64 for the maintenance of Vanivilas water works for the current official year

G
19.12.98

Add to Secty with a draft
17/12/98

— Sanitary Work &c. Department —

Estimate of the Cost of working and Maintenance Charges of the Bari Bilas Water Supply for Mysore city for the year 1898-99.

and 28-90-14 [illegible]

Particulars	Rate Per	Rate Quantity	Rate Unit	Amount	Total
— Working Charges —					
Work Establishment. As per Revised Statement submitted to Chief Engineer with this office No. 3403/648 dated 30th November 1898 :—					
— Pumping Station at Belgola and Devaraj Channel :—					
1. Superintendent. Pay Rs 100 & Travelling allowance 15/-				Rupees 115	
1. 1st Driver				50	
1 2nd do				35	
1 3rd do				35	
1 4th do				30	
4 Apprentices each at Rupees 20/-				80	
1 Carpenter & Smith				20	
3 Cleaners at Rs 8/- each				24	
1 Gardener				6	
1 Kutta Cooly				6	
1 Scavenger				6	
5 Sowdies at Rs 6/- each				30	
				437.	
— Head Distribution Works at Venkatkoppal —					
1. Sowdie				7	
1 Durwan				8	
1. Telephone Boy				3	
			ii	20	
Total of (i) and (ii)	Month	454	12 Months	5448	
Sundry articles of Consumption :— Crank oil, Tallow, Plumbago, Tar, Char-coal, Emery paper, White-lead, Cotton waste, Yarn, Kerosine oil &c &c	Month	40	12 Months	480	
Carried over				5964	

Brought forward	5,964
Maintainance Charges — Machinery	
Repairs to Turbines, Pumps, and the Rising and Delivery Mains, Valve house, Machinery and Feed Pipes to the Filter beds and Pure water Tank &c &c — Lump Sum for one year	200
— Masonary Structures —	
Repairs to Regulating Sluice, Turbine House Tail Race, Pump wells, Drivers and Servants Quarters, Store and Telephone Sheds, Watch Huts Sheds &c at Belagola and Masonry Conduit, Valve House, Service Reservoir, Filter beds and Pure water Tank &c &c at Vontikoppal — Lump sum for one year	300
Total Rupees	6464

"Signed"
Standish Lee
Superintending Engineer
Sanitary Works

Bangalore
2nd December.

-Sanitary Works Department-

Abstract of Estimate of Working Expenses and Maintenance Charges of the Vani Vilas Water Supply Works of the Mysore City for the year 1898—99:

Items	Per	Rate	Quantity	Cost	Total
-Working Charges-					
1. Pay of the Work Establishment	Month	454	12 Months	$ 456	
2. Articles of Consumption —	do.	40	do —	480	
					936
-Maintainance Charges-					
3 Repairs to Machinery — Lump	Annum	—	—	200	
4 —do— to Masonry Structure —	do	—	—	300	500
Total Rupees					1464

Bangalore
2nd December 1898

"Sd"
Standish Lee
Superintending Engineer.
Sanitary Works

"Copy"

For Secretary
Compd:

KB

re copy of
Mysore City
municipal Proceedings
for each of the months
of October & November
put up. The
proceedings for
December were
submitted to H^is
Counsellor (Camp
Shikarpur) on 17.1.99.

18/1 As far as my
recollection goes,
the report called for
by the Secy is in the
Mysore City Municipal
Boards Proc^s of Decr
submitted to H^is Counsellor
May this lie over
the receipt of that
DNJ 18/1/99

Read Mem 28-90-15

Offl Memo No. 076/5812 dated 6th Oct 1898 from the Chief Engineer in Mysore, regarding the adjustment of the annual cost of maintenance of the Vani Vilas Water Works at Mysore.

Letter No. 862 dated 17th December 1898 from the same Officer, forwarding an Estimate for Rs. 6464 towards the maintenance of the Vani Vilas Water Works for the current official year.

Order: As 8481-93 dtd 21-1-95

The estimate for Rs. 6464 read with the last of the letters read above is sanctioned.

The actual amount spent on account of the maintenance of the Works will be intimated by the Chief Engineer at the

Copy of City Proceedings the month ending the 31st December 1898

From ch: engineer Rs 6107 9 11 2 99 L857.

L 801

clerk of the Second Year
to the Comptroller to wait
for receipt from the Mayor's
City Municipality.

16/199

Recty

The City Mayor's
returning the Estimate
a Comptr to the Court of Mayor
with copy of the Estimate
President City
Municipality

11/5/52. City Hall.

Submitted to Secretary for orders.
BAR 4/2/99

OFFICE OF THE
6563
JTE 3 99
DEWAN OF MYSORE

189 1202

From

THE OFFICE OF THE
MUNICIPALITY

Trust 88 - 90 - 16

To

The Secretary to the Govt of Mysore
Rev. & Genl. Depts.

Dated
Despatched } 31st March 99
Received

General No. 542
No.

Enclosure No.

Forwarding an Extract from the proceedings of the Municipal Board dated 31. December 98, requesting to continue to maintain the Vani Vilas water works out of the provincial funds for some years to come.

Submitted 13008-5 & 15-5-99
Trust 4903-911

12 99

Both the officers are recommended a Com of the Councillors in charge This has to go to the Decan.
Called to Mysore
2 Dec 98

Sent by post
13/2/99 6/2/99

(1964)

This is wrong in principle & I would not support it
8/2/99

Sent to Dewan
Sent to Mysore
Returned
4/3/99

No. 542

Enc. No. one

MYSORE CITY MUNICIPAL PRESIDENT'S OFFICE,

Dated 31st [illegible] 189 .

Mul 28-90-16

To

The

Secretary to the [illegible]
Revenue and [illegible]
Bangalore

SIR,

* Copy obtained from Chief Engrs Office & returned MJ 4/2/99

With reference to letter no 1077 583 dated 0/95 from the Secretary to the Government of [illegible] I am directed to forward herewith a copy of the Resolution No 3 of the proceedings of the Municipal Board Mysore City

I have the honor to forward herewith a copy of the Resolution No 3 of the proceedings of the Municipal Board Mysore City

I have been instructed from the Superintending Engineer, Southern [illegible] that the total length

charges on the above will be the charge for maintenance from the municipal Fund, a sum of Rs 1206 as noted in the margin is annually allotted in the budget for the maintenance of the water-supply within the city. This cost is hardly covered by the water rate received for the house connections from the consumers, while so it is not possible to meet this extra cost from the municipal Fund with income has decreased owing to plague years, demolition of many houses for opening out of congested parts, and decrease of owners on account of the prevalence of plague.

Under these circumstances you will observe that the municipal income will be hardly sufficient to meet the actual establishment charges and therefore

VIII Pay of (2) water supply original Rs 1200
100
(3) do.

XI Miscellaneous
6 Water supply establishment Rs 2906
Total Rs 4306

I request that you will
be good enough to
the Governor of
Carolina to maintain
the building in which
work from the Pro-
-clinical Yard for
some years more

I have the honour to be
Sir,
your most obedient Servant

Humphrey Davy
For President

Dated 28-12-98-16

The Extract from the proceedings of the Municipal Board, held on the 31st December 1898.

× × ×

III Letter no: 1077-583 dated 6th October 1898 from the Secretary to the Government of Mysore, Public Work department, stating that the Government have been pleased to order that from the 1st July 1898, the working and maintenance charges of Vani Vilas water works to be charged to the Municipality.

Resolved that the Government be moved to continue to maintain the Vani Vilas water Works out of the "Provincial Funds" for a few years more as it is now very difficult even to collect the house tax as many of the Town people are vacating the Town owing to Plague Scare

× × ×

True Copy

H. Nanjunda Rajaiah
for President

for President

Read:-
28-90-17
Letter dtd 5'42 dated
31st January 1899 from the
President of the Elysium Town
municipality, stating with refer
to the order of Govt in the P.W.D
directing the transfer of the
Varioolas water works to the
City municipality with effect
from 1st July 1899, that the
Municipal revenue, which
has considerably diminished,
owing to the prevalence of
Plague, to the demolition of
houses for opening out the
congested parts and to the
desertion of houses by their
owners, is scarcely sufficient
to meet the existing charges,
including the cost of (Klukenbelg) water
works establishment amounting
to Rs 4506, which is hardly
covered by the water rate
received from house owners;
and that the Board are at
present unable to bear the
extra charge (6464 Rs) and requesting the

15-5-99
Submitted to the
Hon'ble Member in charge
of the Public Works
Department

From the Secretary 4/2 15/5/99
2/5/99

is not possible to meet
the extra cost from Municl.
Funds on account of the
great decrease in Municl.
revenue owing to plague &
other causes, and requesting
that the Govt may be
pleased to sanction the
maintenance of the water-
works from Provincial Funds
for some years more.

"

Order thereon:- No. 1300 S-5 dated 15/5/99
L. 10392 dated 15/5/99

The Govt. consider that
the cost referred to is a
proper charge on Municl: Funds,
and they are therefore unwilling
to sanction the
proposal of the Presidt. The
Municipality should arrange to meet
this legitimate demand
15/5/99

To Presidt. Municipal Council
The Comptroller
The Chief Engineer.

PR Secy
15/5/99

Govt may be pleased to direct the maintenance of the aforesaid water works from Provincial funds for some years more

---

Order thereon

The proposal made in the above is wrong in principle and cannot be sanctioned. The municipal Board must arrange to meet this most legitimate charge upon their funds from the date specified

Secretary 13/5/95

To The President, Mysore
" Comptroller
" Chief Engineer

47
17 7 99

General Branch
Please put up on
2245-46 of 17 8 98 quoted with
mss 534 Dft 19/7/99

1899

4841
17 19

From The President
Mul 28-90-18
City Mul Board
Mysore

To The Secretary to the
Govt of Mysore

Dated
Despatched 15 17
Received 2 July 17

General No. 47
No.

Enclosure No. 4

Soliciting Sanction for levying General water tax at the rate of annas 4 per Rupee on house tax exempting such houses as have house connection for meeting the cost of maintaining the ~~Cost of~~ Vani Vilas town works, Mysore

No. 47
Enc. No. 3

MYSORE CITY MUNICIPAL PRESIDENT'S OFFICE,

Dated 15th May, 189,.

Mud 28-90-18

To

The Secretary to the Government of Mysore
Revenue and General Departments

SIR,

With reference to Government Proceedings No. 13003-5 / L 7103-9 dated 15th May 1899 ordering that the cost of Maintenance Vani Vilas Water Works is a proper charge on Municipal Funds and that the Municipality should arrange to meet this legitimate demand as the Government could not sanction the proposal of meeting the same from Provincial Funds for some years more to, I have the honour to state that the question was discussed in the Board on the 27th May 1899 and a Sub Committee was formed to consider how this extra cost can be defrayed.

As ascertained from the Sanitary Department the total cost for the same would be Rs 6354 a year, the cost of establishment sanctioned in Govt. Pro: No. 2245-46 / Fins 534 dated 17-8-98, for the sanitation of the tracts around Vani Vilas Water Works amounts to Rs 360 per annum So this the charge of Rs 2966 incurred every year for

for Water. ~~Supply~~ Maintenence Establishment for water Supply in the City has to be added. Thus the total charge as above detailed will amount to Rs 9680, including the cost of Repairs of existing Fountains the total expenditure will be Rs 10,000 a year in round Numbers.

The Income derived from the Special House-Service pipes of 1 inch, and ½ inch at Rs 25 and Rs 15 respectively as sanctioned in Govt. Pro: No. 137-8 / 2-72-93 dated 17 July 94 amounts to Rs 2392 But this amount is hardly sufficient for the purpose and therefore time has arrived to impose a General Water-rate; and the Sub Committee, to whom the question was referred, proposed the levy of Water-tax @ 2½ % on the annual rental value of the houses excepting certain houses, and also made certain other suggestions which the Board did not approve excepting para (b) of the Report; in which it recommended the introduction of Rules in force in Bangalore City for Regulating the Water Supply. An extract is here with Submitted together with the Proceedings of the Board dated 1st July 99.

The question was again discussed in the Board on the 8th July 1899 and after collecting certain Statistics, it resolved that a Water-tax

Water-tax of 4 annas be levied on every Rupee of House-tax collected in the City, excepting the [illegible] houses that have Service-connections. A copy of it is here with Submitted. In the City the Demand of House-tax is Rs 16884, from which deducting Rs 2685 being the tax on houses which have Service-connections the net Demand is Rs 14199. The Water-tax at ¼ of this will come to Rs 3549-12-0. Thus the total realization under water-tax will be Rs 7941-12-0 including water-tax on House-Service-Connections; but still Rs 2058-4-0 will be wanting to meet the whole cost. However the difference will be made up by the water-tax that may be levied on House-connections to be given hereafter and the extra realization expected by the Revision of House-tax.

4392
35-49-12-0
7941-12-0

In the order under reference it is directed that the maintenence charge to be borne by the Municipality from the 1st July 1898, but the final orders were issued only on the 15th May last and by the time the question was discussed in the Board and Resolutions passed to levy tax, the year had passed away. If the levy of tax

if tax is sanctioned it will be a demand for the current year. But if the Expenditure incurred in the past year has to be met from the Municipal Fund, it will effect the "Closing Balance" which owing to Stagne in the City has been reduced much below the prescribed Minimum. Therefore the charges for the past year at least may be ordered to be met from the Provincial Funds, as heretofore.

Under these circumstances, I request that you will be good enough to obtain the Sanction of the Government for the levy of General Watis tax at 4 annas per Rupee on House-tax, on houses and the Water ratio on House tax &c. which have Service connection being exempted and for debiting the last year's charge to Provicial Funds.

I have the honour to be,
Sir,
Your most obedient Servant

H Sharpe Esq
Vice-President

WM

Mul 28 90-18

Extract from the proceedings of the adjourned Ordinary meeting of the Municipal Commissioners for the City of Mysore dated 18th July 99

I

Report of the Sub-Committee proposing the ways and means for meeting the cost of maintaining the Vani Vilas Water Works

Resolved that the report of the Sub-Committee be not approved with the exception of para 6.

× × ×

"Copy" (Signed) "C Madiah"

Dewan

Chairman City Mun.

For President

mm

C 28-90-18

Extract from the Report of the
Sub-Committee
dated 27th May 1899

× × ×

VI That the Rules obtaining at the Bangalore City for regulating the Water Supply of Chamaraj Water Works, be introduced into the Mysore City with necessary modifications.

(Signed) H. Narsimha Raj Urs
" M. Venkatakrishnaiah
" K. Chendrasekaraah

(Signed) M. Sheik Ibrahim Sab.

"Copy"
Hon. President

mtk

Vol 28-90-18

Proceedings of the adjourned Ordinary meeting of the Municipal Commissioners for the City of Mysore held on the 8th July 1899

Consideration of statement giving particulars of House-tax prepared with a view to levy the General Water-rate in order to meet the extra Cost of maintaining Nanji Vilas Water Works as the Govt ordered in their Proceedings No 13003-5 / L F 103-92 dated 15th May 1899 that it should be borne by the Municipality as it is a legitimate charge on Municipal Fund.

Read and recorded -

Proposed by Mr. Ambly Anniah Pundit that four annas water-tax per Rupee on the amount of House-tax collected be levied on all houses except such as have House-Service Connections.

Seconded by Mr. M Venkata Krishnamurya

Resolved by a Majority (12 to 1) that the above proposal of levying four annas per Rupee with the exception of houses which have Service Connection, be approved.

(Signed) H Nanjundaya Urs

'Copy'

[signature]

Mm

Act. President

Read. —

Letter No. 47 dt 15-7-99 from the President Mapusa Municipality soliciting with ref. to Govt. No. 13003-5 dt. 7-10-92 the sanction of Govt to the levy of General water-tax at the rate of 4 annas per rupee on house tax in order to meet the cost of maintaining the Vanivelas water work at Mapusa and requesting that the charges on account of the same for the year 1898-99 may be debited to Provincial Funds as the orders directing the maintenance of the works by the Municipality were issued only on the 15th May 1899 and the official year had expired by the time the question was discussed by the Board and the Resolution passed to levy the water-tax.

Order thereon: — No. 2280 / 103-92 dt 22-8-99

It is observed that the Regulations which govern the Municipality lays down clear instructions as to how the water rate should be levied and what is the limit of taxation under this head. The Govt regret that the President has supported the Resolution of the Municipal Board which is

inconsistent with those Rules. Regulations in force. He is requested to call the attention of the Board to sees 199 et seq of the Annl. Regulations which do not contemplate any exemptions of the nature now proposed and according to which the tax should not exceed 2 per Cent of the rental value. It is requested that proposals ~~will be made~~ with due regard to the provisions will be made. and submitted for the approval of Govt.

2. Separate orders will be passed on the other point in the Presidents' letter viz; the charge for 1898-99 be directed to be met Provincial Funds.

15/8/99

Secretary 15/8/99.

To

The President

Mysore City Municipality

Note, after issue this vide 115 Rules to be resulted proceedings. Ord. 19.8.99

Rev.

2414
14-9-99
1899
MYSORE P. W. DEPARTMENT

From

The Chief Engineer of Mysore

To

The Secretary to Government,
Genl: & Rev: Depts

Dated Bangalore, 12. September 99

Despatched Jul 28-90-20

No. 4732

Enclosure No One —

SUBJECT.

Forwarding Copy of Sanitary Supdg: Engineer's reference, with a request that the good sanction may be obtained to the formal transfer to the Mysore municipality of the additional distributaries of water to Mysore City from the Vanivilas water works.

To the Pt Mysore City Supdg

3886
L.F 103-92 21-9-99

13.9.99

Submitted, for orders as to whether sanction may be accorded to the formal transfer of the water works.

(2) Orders have also to be passed on the Board's request that the change of the Vanivilas

or the last year at least may be directed to be met from Provincial funds. Please see Engineers remarks at the end of office Memo. & also office note on L 115

15.9.99 15/9/99

Send a copy to the President & enquire whether the Board are prepared to accept the proposed transfer

16/9/99

M.A.S. 17/9/99

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

No. 4732

Bangalore, 12th September 1899

From

The Chief Engineer of Mysore

To

The Secretary to the Govt: of Mysore,

General & Revenue Departments

SIR,

With reference to Government Pros: No: 8481-8 Mis 1875 D/. 21st: January 1899, sanctioning an estimate providing for the maintenance of the Vanivilas Water Works for the Mysore town for 1898-99, I have the honor to forward the enclosed copy of docket No: 3906/505 of the 4th Instant from the Sanitary Superintending Engineer, and to request that you will be so good as to obtain the sanction of Government to the formal transfer to the Mysore Municipality, of the additional distribution of water to Mysore City from the Vanivilas water works, this portion of the scheme having been reported by Mr. Standish Lee to be finally completed.

I have the honor to be,

Sir,

Your most obedient Servant

R. Anderson

For Chief Engineer of Mysore

1899

From

The Superintending Engineer
Sanitary Circle

To

The Chief Engineer of Mysore
Dated 18-90-20

Dated Bangalore 4 September 99

Despatched

Received

General No. 3906
No. 505

Enclosure No.

P.W. Secretary No: 6075/5811 D/- 6th October 98, ordering the working and maintenance charges of the Varivolas water supply works to be levied from the Mysore City Municipality from the 1st July 1898.

Has the honor to report that the charges referred to are being levied as ordered, but the income of the water supply

Central Jail Press, Bangalore.—21-9-98.—19,302.

is still retained by this Department, pending final completion of the scheme which consists of two portions; Viz:-

(1) The Vanniyar water works for supply to Mysore City by pumping from the Cauveri.

(2) Additional distribution of water to Mysore City from the Vanniyar water works.

2. The second portion of the scheme being now finally completed, sanction to transfer the same to the Municipality is requested.

/Sd/ Standish Lee
Supdg. Engineer
Sanitary Circle

"Copy"

N. Anilkar
For Chief Engineer of Mysore

Bangalore
12/9/99 2½ pm

From

The Secretary to the Govt of Mysore

Gen'l and Revenue Dept

To Mail 28-9-99 21

The President of the Mysore City Municipality

Dated 21-9-99

Despatched

Received

General No. 3850 R&L 433

L. F. 163-92

Enclosure No.

From the same
No 2789 dt 10/10/99 L 571

Chief Engineer's No 4732 dated 12th Sept. 1899 forwarding with reference to Govt. Pro No. 8481-3 Mis 875 dt 21st Jan 1899 copy of docket No. 3906/603 of the 4th Instt from the Sanitary Superintending Engineer and requesting sanction to the transfer to the City Municipality of the management of the additional distribution of water to the City from the Vanivilas water works.

In forwarding copy of the above to the President, has the honor to enquire whether the Board are prepared to accept the proposed transfer.

By order.

RS 21-9-99

2511
1899. 16-9-99

From The President, Mul Board

To Mul 28-90-22 Dup
The Secretary to Govt of Mysore

Dated Rev and Gel Dept
Despatched 14th/15th Sept 99
Received
General No 196 } 1899.

Enclosures—Number. 2

Enquiring whether the Water Supply to Town of Mysore has been completed, and if so, whether it may notified with a view levey "General Water tax to meet the cost maintaining the Vani-Vilas Water works"

To the same
4382 3 9309 99
& 2103 92 A Officer
16 9 99 A.K.
21 9 99

No. 196

Enc. No. 1

MYSORE CITY MUNICIPAL PRESIDENT'S OFFICE,

Dated 14th Septr 1899.

Mul 28-190-97—

To

The Secretary to the Govt
of Mysore
Revenue and General Depths.

SIR,

With reference to your memo no: 1077/5813 dated 6th October 98 forwarding a copy of your docket no 1075/5811 dated 6th idem, intimating that the Government have ordered that the working and maintenance charges of the Vani Vilas Water Works should be borne by the Municipality from the 1st July 1898 &c I have the honor to state that the where-

(1) The cost, as ascertained by the Sanitary Deptt, of maintaining the Vani Vilas Water Works is . . . Rs 635·4
(2) The cost of Establishment for the Sanitation of the tract round about the Vani Vilas Water Works, is . . . . . Rs 360-
(3) The cost of maintaining the Establishment in the city, is Rs 2966
(4) The cost of repairing the existing fountains, &c Rs 320
Total Rs 10,000

-to charge as per details given in the margin will amount to Rs 10,000/-

To meet this charge, the Municipality have to levey a general Water tax on the house-owners of the city, but before doing so, it is necessary to notify that the Water Supply has been completed. On the introduction of Water Supply, every house-owner will be entitled to have House-Connection pipes under Sections 198, 199, 200 and 201 of the Municipal Regulations. A Copy of these Sections is enclosed for ready reference.

Therefore I request that you will be good enough to inform whether the Water Supply is Completed, if so, whether the quantity of water in the Vani Vilas Water Works with the present carrying capacity of the Water mains in the

the Streets, will be sufficient to meet the demand of those who may apply for House-Connections.

I have the honor to be,
Sir,
Your most Obedient Servant
Thomas Hyde
For President

Regulation III of 1888

Section 198 When the Commissioners shall have carried out a system for the supply of water to the town as aforesaid, or to any division or portion thereof, including such Convenient mains and standpipes as aforesaid, and such system shall in the judgment of Commissioners be Complete, the Commissioners shall with the sanction of the Government of His Highness the Maharaja of Mysore, declare, by notification published in the Mysore Gazette, that the supply is Complete, within the said town or any such division or portion thereof

Section 199. After it has been so notified as aforesaid that the water supply in any district has been completed, it shall be lawful for the Commissioners to assess a rate upon all occupied buildings and premises within such district. The said rate shall not exceed two per centum upon the annual value of the said buildings and premises.

Section 200. Every householder assessed to, and paying the water-rate, shall be entitled to ~~lay down~~ have, free of further charge, or assessment in respect of the same, a supply of water from the mains and pipes of the Commissioners for the domestic use of himself and his

his household

Section 201 Every person assessed to and paying the water rate shall be entitled to lay down Communication pipes from the mains and pipes of the Commissioners for bringing into his house a proper and sufficient supply of water for domestic purposes.

The Communication pipes leading the water from the mains and pipes of the Commissioners into the house of any rate payer, and the pipes and works within the house connected therewith, shall be of such character, dimensions, and material, as the said Commissioners, or their proper officer in their behalf, shall fix and approve, and shall be made and Constructed at the Expense of the person

52

person requiring the same

"Copy"

Herbert Hoover

For President

Read Item L28-90 28

Letter No 196 dy 14th Septm,
from the President y the
Mysore City Municipality
enquiring whether the water
supply to the town of Mysore
has been completed and if
so, whether it may be notified
with a view to levy of a
water tax to meet the cost of
maintaining the Vanivilas
Water works.

R LA87
No 4382-83 30.9.99
L9103-92

A copy of the letter read
above must be forwarded to
the Chief Engineer with a
request that the information
therein desired may be kindly
furnished early to this office

28/9/99

Secretary
25.9.99

The Chief Engineer in Mysore
" President, Mysore City Mcp.

5129
4.XII.22. 1899

MYSORE P. W. DEPARTMENT.

From L 28-90-24
The Chief Engineer for Mysore.

To
The Secretary to Govt. of Mysore
Genl. & Rectt. Depts.

Dated Bangalore, 30 November

Despatched

No. 6069

Enclosure No 2

SUBJECT.

Forwarding copy of Sanitary Supdg: Engineer's reference regarding the water supply of Mysore City stating that the practice referred to by the Supdg: Engr: needs be stopped.

To the same
7098-9 dy 21/12/99
L 7-103-92
1.12.99

Submitted for order with reference. The reference called for the Decision in her order on office Memo on the subject is being traced.

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

Bangalore, 30th November 1899

No. 4069
E/1

From

The Chief Engineer of Mysore.

To

The Secretary to the Govt. of Mysore,
General and Revenue Depts.

SIR,

(Sl 29)

With reference to Govt. Proc: No 4382-3 L.S. 103. dated 30th September 99, I have the honor forward herewith copy of docket No: 4923/682 of the 25th Instant, from the Superintending Engineer, Sanitary works, reporting that the water supply of Mysore city is now complete, and in doing so, to remark that it is necessary to put a stop to the practice referred to by that Officer in his para 3. His previous reports on the misuse of the pipe water were submitted to the Devan but no orders have yet been passed by him.

I have the honor to be
Sir
Your most Obedient Servt.
Jas Campbell Colonel
Chief Engineer of Mysore

MM

1899

From The Superintending Engineer Sanitary works

To The Chief Engineer of Mysore

Mail 28-90-24

Dated 25th November 1899

Despatched

Received

General No. 4923
No. 682

Enclosure No. 3

(s129)

Chief Engineer's No s193 of the 3rd October 1899, forwarding in original Govt. Proc No 4382-3 L.F 103-9 of the 30th September 1899, and requesting that the information therein called for as to whether water supply to the city of Mysore has been completed may be furnished to me

Referring to the above, has the honor to report that the water supply of Mysore City is now Complete and that the System of distribution pipes is capable of Complying with the terms of Section 200 of the Bye

Central Jail Press, Bangalore.—21-9-98.—49,302.

Municipal Act Viz- that every house holder can have a house Connection to his house "from the mains and pipes of the Commissioners for the domestic use of himself and his household."

II Domestic Supply is defined by section 202 as "a supply of water for domestic purposes not including a supply of water for horses or for washing Carriages to be used when such horses or Carriages are kept for sale or hire, or a supply for any trade manufacture or business, or for fountains or for any ornamental or mechanical purpose"

III The house connections hitherto permitted, several of which consist of several taps each of ½ inch and in some cases 1 inch, are all calculated to discharge far more than what is required for "Domestic purposes" and it is a notorious fact often reported (Vide this Office Nos $\frac{3541}{784}$ of $2\frac{12}{97}$ and $\frac{1640}{369}$ of $24\frac{6}{98}$) that pipe water is now used by the Municipality itself for purposes other than "Domestic" and that, private parties, including some of the principal Officers of the State, use it even for irrigating their gardens The System is decidedly not calculated to stand such a demand, and if it is permitted to continue, there will be Complaints all over the town that there is not sufficient water for "House Services".

IV. The original reference quoted above is herewith returned.

[Signed] Stewart Lee
Superintending Engr Sanitary Works

Copy

Bangalore
30th Nov 99

Jas Cumberlege Colonel
Chief Engineer & Secretary to Government

Rcd. Letter No 6069 of 30 Nov 1899 from the Chief Engr. forwarding copy of Dft-No 4923/622 of 25.11.99 from the Supdg Engr. & Sanitary Wks Rs

(Here enter in extenso the Ch. Engrs Letter & its enclosures)

Mem 28-90-25

Order thereon No 7098-9 R L923 L.f 103-92 of 9.12.99

Forwarded to the

From President, Mysore City No 5-35-94/4/00 L.1627

President, Mysore City Municipality

with reference to his ~~letter~~ ~~cited~~ letter No 1969 14 Sepr 1899

for Secretary 9.1.1900

Please see Lr/s order on the Mem Copy of Rs. No 4382-3 L.f. 103-92 30-9-99. DRJ

The information called for by the Secy was embodied in the memo which contains his order. DRJ

To, The President, Mysore City Municipality in extenso as noted above

Chief Enquiries in abeyance

1627

Mysore City Municipal
Presidents Office.

Rec'd 28-90-26

No. 535. Dt. 31st March 1900
4th April

To,

The Secretary to the Government
of Mysore,
Revd. & Genl. Departments

Sir,

With reference to Government Proceedings No. 7098 & 7163 92 dy the 21st December 1899, forwarding a copy of the Chief Engineer's letter No: 6069 dy the 30th November 1899 and of its enclosure intimating that the water supply work of the Mysore city has been completed &c I have the honor to state that since the last three months, the supply of water to the city has very much decreased as the turbines have gone out of order. On account of this, the higher parts of the city only are supplied by the turbines with the Kannery water and that for certain hours of the day only.

and the remaining portion with Kukeraballi tank water. The frequent changes and the giving of water to the higher portion of the city for a limited number of hours only have given room to frequent complaints and unless some definite arrangements are made early, complaints of in-- -sufficient supply of water will increase.

2. It would appear that the turbines at Balagolah go out of order very frequently. Originally arrangement was made, it seems to have three turbines, in order that one may always be available if any should fail; but that only two were fitted up. It is not known why the 3rd one was not fixed though a well had been excavated for it.

3. Now the Sanitary Department is putting concrete for the bed of one of the service reservoirs at

Doddakopal at a great cost as it is leaky. If another turbine is also fixed now, the water supply project will once for all become complete.

4. The majority of the people of the city are using the Doddakere for washing and other purposes. Now this tank is almost empty, because both the feeders to it have been cut off, on the grounds of the Kaveri water having been supplied by means of the said turbines. The result is that all the wells in the Fort, the Krishnaraj Mohalla and in Ittigegood are fast drying

5. Of the two feeders to the Doddakere tank that called the Benniahurahalli feeder was closed on sanitary grounds, but it is not known why the other known as the Bobalikere feeder was closed though the drainage water of the Chamundi hill area coming through it. This tank is very useful

and in my humble opinion it must be preserved under any circumstances. Till other better arrangements are made, it is very necessary to open the Boba-Libere feeder so as to fill a portion of the tank during the next rains.

I have &c --

(Sd) B. N. Venkatavaradiengar.

President.

Compd HHK.

Mod 28-90-No 7

If approved, this will be sent to the Secretary D. P. W. for such action as may be deemed desirable or for remarks.

Submitted to 2nd Commissioner

(Sgd) C. E.

10. 1. 00.

~ ~

This is a very serious matter. I remember Mr. Lee telling me that another turbine wheel had been ordered and was expected very shortly. The very early attention of the Chief Engineer should be requested to be given to this matter. I shall be glad to know what action is taken. The last tank (Bobbi Katte) may be usefully allowed to receive as much water as it can hold. There is the marriage gathering in prospect

(Sgd) P. W. L.

Compd HBK

Mud 24-90-2D. R.S. 15 D 7

Memo No 1138 S dated 14/4/00

d 7103-92

Forwarded to the Secretary to Govt

D.O.N. with reference to II Councillors

remarks above

(Sd.) C. S.,

13/6/00

Genl Chy 10489

L1796

139

From Secy to Govt. of Mysore

THE ~~ACCOUNTANT GENERAL~~
~~GOVT. OF MYSORE,~~
~~Bangalore.~~
Comptroller to the Govt of Mysore

To

THE

The Secy to the Govt of Mysore, Rev. & Agl Depts.

Dated 26th April 1900

Despatched 30th

Received

General No. 5600 S

L. F. 114

Endorsement No.

Requesting to be informed as to whether the sum of Rs 7997-7-4 incurred by the P.W.D on Vani Vilas water works may be charged to Profit and Loss.

Memo No 10103-97 P/2/01
C.F.103-92 Mysore

Forwarded to the Secy to Govt. of P.W. for favour of any remarks or expression of opinion.

(Sd) C Srinivasaiengar
Secy to Govt
Rev & Agl Depts.

6/2/01

From Chief Engineer
No 1088/1747/01
L1419

L 1796

Gen. 20

1900

From

E. R. STEBBING, C.E.

Comptroller of Lyons Water Works

1358

To the Secretary to the Govt. of Mysore

Bangalore

Dated 28th April

Despatched 30th April

Received

General No.

No.

Enclosure No.

In reply to

SUBJECT.

Requesting to be informed as to whether the Estimate for 799 7s 7d incurred by the P. W. Dept. on Vanivilas Water Works may be charged to Profit & Loss.

References (to be filled only in the Dewan's Office).

Submitted. May this be transferred to the Financial Branch?

Yes. And put in the file a correct copy of the Prop. of 15-2-00. The one put up is incomplete.

I think this has to be dealt with in the Fin. Dept. Wherein the Estimate was first sanctioned & Rs. 799 7 2 Subd. 8/5/00

Subd. 8/5/00

Transferred to General Branch

Account Current Department

No. 5605 / 114

OFFICE OF THE COMPTROLLER OF MYSORE.

Bangalore, 26th April 1900

From

E. R. SUBRAYER, Esq.,

Comptroller, Mysore Government.

To

The Secretary to the Govt. of Mysore,

General and Revenue Depts.

SIR,

I have the honor to State that a Sum of Rs 7997-7-4 was debited by the Public Works Department in the Sanitary Exchange Accounts for June 1899 on account of charges incurred on Vanivilas Water Works during 1898-99, for recovery from the Mysore City Municipality under the authority of Government Proceedings no 8281-83 dated 21st January 1899, but as the above charge was subsequently ordered to be remitted in Proceedings no 9412-14 dated 15th February 1900, I request that you would be so good as to inform me whether the amount in question should be borne by the Sanitary Department under "Part III Government Works or debited to Profit or Loss under 24 Miscellaneous in the Civil Accounts.

Sheets 2 in L-J103992.

Sheets 11

I have the honor to be.

Sir

Your most obedient Servant

Comptroller

memo No. 7.7

Dated May 1900

Forwarded to the Secretary Public Department in continuation of Office memo: No. 11326 dated 14th April 1900.

"By Order"

For Secretary Genl and Revenue Departments.

10712

8-5-00 1897-1900

FROM

The President, City Municipality Mysore

To 2nd 28-[illegible]-3[illegible]

The Secretary to the Govt of Mysore

Dated Rev & Genl Depts

Despatched } 6th May 1900

Received }

General No. 606

No.

Enclosure No.

It is usual to furnish a note of instructions. It is requested that a report may be called for from the Sanitary Engineer on the matter referred to in the enclosed memo. In connection with this the attention of Govt is drawn to the fact that the Sanitary Engineer has been asked to furnish a report on the matter.

Subs 6 22 Nov

9.5.00

Forwarding copy of the instruction written by the Sanitary Superintending Engineer for information regarding the failure now and again of the Kaveri water supply to the City

To the D.P.W. Secy.
1635-4 7 5-5-00

L 7 103-92

8.5.00

Subs, may this also be forwarded to the D.P.W. Secy in continuation of Memo No 1132 dated 14-4-00 L 7 103-92 after enquiries

10.V.1900

8-5

No 606

Mysore City Municipal Office
Dy 6 · May 1900.

To, and 28-5-30

The Secretary
to the Govt of Mysore
Rev: & Genl Dept

Sir

In continuation of this Office No 535 Dy the 4·4·00, regarding the failure now & again of the supply of the Kaveri water to the city of mysore I have the honor to state that that supply has actually ceased now. When about 3 or 4 days ago, we observed the stoppage of water. We asked Mr Lee, Supt Engineer. He said that the works at Belagula had failed and wrote down the following instructions: -

1. Reduce the public taps of the Kaveri supply by one half
2. Stop all house connections of Kaveri supply.
3. The usual full supply will, it is expected be available in a week
4. Cause of the supply running short is owing to some wheels of the turbine having been lost while in transit to Bombay.

Dy 2nd May 1900. Sd. Standish Lee

2. We are now supplying water from Kukkarahally tank. That serves only the low lying parts of the city.

I have &c
Sd B. K Venkata Wardiengar
Municipal Engr

Mis 215

637

_____ _____ DEPARTMENT

1900 637

From

E. R. SUBRAYER, Esq.
COMPTROLLER, MYSORE GOVT.

To

THE SECY. TO GOVT. OF MYSORE,

Rev. & Genl Dept.

Dated 17th July 1900

Despatched

Received 20th

General No. 285

No. 63

Enclosure No.

In reply to

SUBJECT.

Reminder to this Office No. 5-605 dated 26th April 00 requesting instructions as regards the adjustment of the outlay of Rs. 7997-7-4 incurred by the Sanitary Depts on Vanivilas water works

By order

REFERENCES
To be entered only in the Dewan's Office.

Subd to Secty

from very many causes has the delay

24/1/01

Rev 28/1/00

Submitted with draft and memo as file.

Org 29/1/01

Forwarded to 10103 L.T.103-92 9/2/01

Forwarded to the Secretary to Govt W&M for favor of an early expression of opinion.

for Chief Engineer

Secy to Govt Rev & Genl Depts 8945-L1419 dated 15-2-01 6/2/01

Returned to the Secretary to Govt. Revenue & Genl Depts. with the intimation that there being no provision in the current year's Sanitary Works Budget to cover the charge, it may be debited to "Profit & Loss" under 24 Miscellaneous Civil Accts, as suggested by the Comptroller.

12/2/1901. Capt. RE for Chief Engineer

Subd with memo Contd Org 19/2

Fin. 285/63

ACCOUNT DEPARTMENT.

OFFICE OF THE

COMPTROLLER, GOVT. OF MYSORE,

BANGALORE, 17th. July 1900

From

E. R. SUBRAYER, Esq.,

COMPTROLLER, MYSORE GOVERNMENT.

To

THE SECRETARY TO THE GOVT. OF MYSORE,

General and Revenue DEPT.

SIR,

In inviting your kind attention to this Office No.5605/114 dated 26th. April 1900, requesting instructions as regards the adjustment of the outlay of Rs.7997-7-4 incurred by the Sanitary Department on Vanivilas Water Works at Mysore, I have the honor to request that you will be so good as to favour me at ~~the~~ your earliest convenience with the information requested in the above, to enable me to effect the nesessary adjustment in the accounts for June 1900.

I have the honor to be.

Sir,

Your most obedient servant.

E Subrayer

Comptroller.

Vide H's note of 29.11 to a.c attached
29/11
file rec'd from up
9/-

3135
19-9 cs
L472

159

MYSORE P. W. DEPARTMENT

From
The Chief Engineer of Mysore
Bangalore
No. L 28-90-32

To
The Secy to the Govt. of Mysore
Genl. & Rev. Department

No. 4444

Dated Bangalore 17-9-00

Despatched

Enclosure No. One

SUBJECT.

Requesting to obtain the sanction of Govt: for recovery of the amount spent on Vani Vilas & Kukkarhalli Water works from the Mysore City Municipality.

There has been too long a delay in dealing with these papers. It needs explanation.

Is it not possible to get the details of expenditure from the Sanit. Engr's Office?

There are two other queries, one in the memo and the other at the foot of the Comptroller's letter. These have not been answered. There should be no further delay.

28/2/01.

Answers noted
28/2/01

(A) Submitted. From the office notes contained in the slip below, the disposal of the papers was delayed for want of the file. Letter No 205/63 of 17-7-00 was with the Under Secy vide 26/1/01 and has been received in this Branch subsequently. The needful was done as soon as papers were obtained and the same submitted

28/2/01

L 7
19.9.00

Please keep it up if it comes back in 2 days.

to Issue file with the office memo now 2 Nos

10/11/02

Sanction

MYSORE P. W. DEPARTMENT

CENTRAL OFFICE,

Bangalore, 17. September 1899/1900

No. 4444.
E/one,

From

The Chief Engineer of Mysore,

To

The Secretary to the Govt. of Mysore,
General and Revenue Departments.

Sir,

Referring to para 4 of Government Pros: No. 9412-4 / L.J. 103-92 dated 15. February 1900, I have the honor to forward the enclosed copy of docket No: 2139/422 of the 6. Inst:, from the Sanitary Engineer, reporting the actual outlay incurred on account of maintenance charges and working expenses of the Vani Vilas Water Works, and on the annual repairs of the Kukkarhalli Water Works, during the past official year, and to request that you will be so good as to obtain sanction of Government for recovery of the amounts therein mentioned, from the Mysore City Municipality.

I have the honor to be,
Sir,
Your most obedient Servant,

Jas Campbell Colonel,
Chief Engineer of Mysore.

Encl:
JMS

189

From

The Superintending Engineer
Sanitary Circle

To

The Chief Engineer
& Secretary

Dated Bangalore 6 September 1900

Despatched

Received

General No. 2139 / 422

Enclosures Number.

Government Proc No. 9412-4 / 2 103 92 d/ 15.. February 1900 sanctioning Estimate for Rs 9,072/- for the cost of annual maintenance of the Vani Vilas Water works to Anantapur City for the year 1899-1900, and requesting in para 4, to report at close of the year, the actual outlay incurred on the work & recovering the same from the Municipality.

Referring to the above have the honor to report that the actual outlay incurred ...

of Maintenance charges and working Expenses of the above Water Works during 1899-1900, amounted to Rs 9,883-4-0, and to explain that the excess of Rs 812-4-0 over the sanctioned estimate was due to the Extra Expenditure necessitated by the renewal of worn parts to ensure the supply of water to the city during marriages in the Palace, not having been foreseen.

II The expenditure incurred in the Income division during the year on the Annual Repairs of the Thukerhalli Water Supply works, amounts to Rs 1,420-1-8, which under paras 4 & 5 of the Proceedings quoted above, has also to be recovered from the Municipality, so that the total to be recovered amounts to Rs 11,305-1-8 as noted below :-

	Rs
(a) Maintenance & working Charges of the Vanivilas Water Works —	9,884-4-0
(b) " dito - Thukerhalli - dito -	1,420-1-8
Total Rs	11,305-1-8

/Sd/ Standish Lee
Supdg: Engineer, Sanitary Cir.

"Copy"

N. Narasimha Iyer
Asst: Secretary
Office of the Chief Engr: of Income.

L8:

Gen. 301, 5522
20 XI-96

From

E. R. SUBRAYER Esq
Comptroller Mysore

To 2nd L 28-9-96 33

The Secretary to the Govt. of Mysore,
Rev. Dept.

Dated
Despatched 19th November
Received
General No. 3965
No.
Enclosure No. for.

In reply to

SUBJECT.

Enclosing for information a copy of [illegible] of Govt. copy of [illegible] of letter No. 316 of 6th January 00 from the President of the Mysore Municipality, intimating that only the maintenance charges of the Water Works will be [illegible] 6000 [illegible] in the Budget [illegible] the Municipality.

References (to be entered only in the Dewan's Office).

From the Comptroller's letter it is found that the Examiner of PW Accounts, has debited Rs 11,961—15—4 to the Municipality, while according to the Chief Engr's letter, the amount to be recovered is Rs 11,305—1—8. This discrepancy needs explanation. Then again, the President objects to the Municipality being charged with expenses incurred for completing the Works during the year. Have any such expenses been incurred and if so, what is the amount. Please ask the Chief Engineer for the above information.

Rev.
1/3/01.

A.S.

Docket [illegible] 2/3/01

2/3/01

Y P

Submitted. Please see office note on L 472 from Chief Engineer's [illegible]

L 1796 - [illegible] 8/12/96 29/11/96

ACCOUNT CURRENT DEPARTMENT.

2965-E1 OFFICE OF THE COMPTROLLER OF MYSORE

No. 460

Bangalore, 15th. November 1900

From

E. R SUPRAYER, Esq,

Comptroller, Mysore Government

To

The Secretary to the Govt. of Mysore,

General and Revenue *Dept.*

Sir,

With reference to the sum of Rs.11,941-15-4 being the total outlay debited by the Examiner P. W. Accounts in Mysore in his exchange accounts with this Office for June 1900 on account of maintenance charges of the Vanivilas Water Works Mysore for 1899-1900 to be recovered from City Municipality on the authority of Government Proc No.9412-4/L.F.103-92 dated 15th. February 1900, I have the honor to enclose for the information of Government Copy of para 3 of letter No. 316 dated 6th. November 1900 from the President of the Mysore City Municipality contending that only the maintenance charges of the Water Works not exceeding Rs.6,000/- provided for in the Budget, should be debited to the Muricipal Funds and to request that you will be so good as to inform me as to how the difference of Rs.5,941-15-4 should be adjusted.

I further beg that instructions solicited ~~for~~ in this Office No.285/63 dated 17th. July 1900 regarding adjustment of the charges for 1898-1899 may also be kindly issued at an early date as the item in question is long outstanding.

I have the honor to be,

Sir,

Your most obedient servant.

Comptroller.

This matter was referred to the Chief Engr and his reply since received has been submitted for orders. Dng 20/2/01

Submit the draft as proposed Dng 28/2

17-9-00

(General Serial No 30).

189 .

From

The Chief Secretary to the Dewan of Mysore.

10 Nov 1900

No. 28-90-33 DEPARTMENT

From The President City Municipality Mysore.

~~The Comptroller, Govt of Mysore.~~

To The Comptroller

Dated 6th Nov 00

Despatched

Received

General No. 316.
No.

Enclosure No.

× × × × ×

(3) With reference to the amount incurred for maintaining the Privilas Water Work provision is made in the Budget as per accompanying list

Indented Up.

furnished by the Sanitary Superintending Engineer. Since the Govt. has been pleased to make a free grant of the Vaniviláss Water Works to the Municipality (Secs: No: 9412-4 of 15th February 00), all expenses incurred for Completing the works in question are in my opinion, to be met out of the funds placed at the disposal of the Sanitary Dept. It is therefore requested that the Comptroller will be good enough to debit to the Municipality only the actual expenses for their maintenance, not exceeding the provision of Rs: 6000/, made in the Municipal Budget for the year.

I have &c.

Sd. H. Kanapathipillai

for President

"Copy"

My Eagle

Asst. Comptroller

in Pet 16/11.

(Ordinary Serial No. 50).

189 .

From

The Chief Secretary to the Dewan of Mysore.

To The President of the Mysore City Imp. Bd.

Dated 5

Despatched 10 November 1890

Received

Enclosures No. 1

General No 9208

Do 11572 11

Returning the Boards Pro. of 6 Sep. 1890 in which 4 members were elected for explanation.

Indexed &c.

L 9573 27 01 1900

£1306

MYSORE P W DEPARTMENT.

No. 1080

28-90-34

From

THE SECRETARY TO THE
GOVT. OF MYSORE.

To The Secretary to Govt
Genl & Rev. Depts

Dated Bangalore, 26th February 01.

Despatched

Enclosure No. 8 Estimates-
1 Report-
9

SUBJECT.

Requesting to obtain Sanction of the Government to the Estimate amounting to Rs 11492, for the working and maintenance charges of the Vani Vilas Water works, for the Mysore city for the year 1900-1901—

Dept. Sept. 27.1.01 to C.E. Mysore city Engg.

Xmas forwd.

L 2
27.2.01

Samuel
Put up file
Engg 13/01

7573
27 01 1900

MYSORE P W DEPARTMENT

No. 1080

From

THE SECRETARY TO THE
GOVT. OF MYSORE.

To The Secretary to Govt
Rev & Agl Depts

Dated Bangalore, 26th February 01

Despatched

Enclosure No. 8 Estimates -
1 Report.

SUBJECT.

Requesting to obtain Sanction of the Government to the Estimate amounting to Rs. 11492, for the working and maintenance charges of the Vani Vilas Water works, for the Mysore city for the year 1900-1901 —

MYSORE P. W. DEPARTMENT.

No. 1080

BANGALORE, 26th July 1901.

From

THE SECRETARY TO THE GOVT. OF MYSORE,

P. W. DEPARTMENT.

To The Secretary to Government of Mysore Financial and Revenue Departments.

SIR,

I have the honor to forward the enclosed Estimate, amounting to Rs 11,492 providing for the working and maintenance charges of the Vanivilas water works for the Mysore city for the year 1900-1901, and to request that you will be so good as to obtain sanction of Government thereto, under the Explanation given in the Report. The actual outlay will, as usual, be reported at the close of the year for recovery from the Mysore city Municipality.

2- No provision has been made in the above estimate for the up-keep of the Hukkerbail water supply reservoir, as this reservoir is reported to have been transferred to the Municipality.

I have the honor to be
Sir.
Your most obedient Servant
W. D. W. Hutchins
Offg: Chief Engineer of Mysore

A.P.J.

L. /

L 28-90-35

Read -

Letter no 5605 dated

the 26th April 1900 from

the Comptroller stating

that the sum of Rs 7997-704

was debited by the P W D

in the Sanitary Exchange

accounts for June 1899 on

account of charges incurred

for the maintenance of the

Vani Vilas water works during

1898-99 for recovery from

the Mysore City, under

Progs: no SL 81-3 / Mis 1875 dated the

21st June 1899, but that the

charge was subsequently

ordered in Progs no 9412-14 / L 7103-92

dated the 15th Feb 1900 to be

remitted

Ro 1148-20 / L 7103-92

remitted and enquiring whether the amount referred to should be borne by the Sanitary Deptt under part III of Govt works or debited to Profit and Loss under 24 mis" in the Civil accounts

2. No $\frac{285}{63}$ dated the 17th July 1900 from the same officer requesting early orders on the above reference

3. Also Chief Engineer's memo No 700 dated the 15th Feb 1901 stating that there being no provision in the current year's Sanitary Works Budget to cover the charge in question, it may be debited to "Profit and Loss" under 24 mis Civil Accounts, as suggested by

The Comptroller R.L 1556.

Order No 11489-90 9/3/01.

The Comptroller is informed that the charge in question may be debited to "Profit and Loss" under the usual accounts

Yours.

For Secy

9/3/01

To

The Comptroller
" Chief Engr

39

L

To

The Chief Engineer of Mysore

Mel 28-90-36

Hei Mem no 4444 of 17-9-00

L.L.

L-7103 of 92 and
with L 1506

In forwarding herewith copies of the marginally noted references in re the maintenance charges of the Vani Vilas Water Works (for 1899-1900), Mysore, I have the honour to request that the Chief Engr will be so good as to favour Govt with the following information:-

Letter no 2965/460 of 15th Novr 00 from Comptroller
Or no 316 of 6th Novr 00 from Presdt Mysore City Mg to the Comptr

R.L. 1582

11882
L.7.103-92 of 8/3/01.
Memo to Chf Engineer

(1) From the Comptroller's letter of the 15th Novr 1900 it is found that the Examiner of Accounts has debited Rs 11,941-15-4 to the Mysore City Mgt on account of the charges in question, while according to the Sanitary Supdt

Engineer's letter received with reference to
the Chief Engineers letter ~~dated~~ above
~~of the 2nd Sept. 1900~~, the amount
to be recovered from the
said Municipality is Rs 11305-1-8 ⊕
What is the cause of this
discrepancy?

2, In his letter No 316
dated the 6th Nov. 1900, the
Pres. of the Rd Commr, Mysore
City, objects to the M&Sy
being charged with "all expenses
incurred for completing the
works in question". Have any
such expenses been incurred
during 1899-1900, and if so
what is the amount? An
early reply is requested.

"By order"
Srs.

For Secy
2/3/01

(a) Maintenance & working charges of Vani Vilas water works — Rs 9884-4-0
(b) — — Kukkarahalli water work — 1420-13-8
11305-1-8

Vol 128-90-37

* two. one report + 12 estimates to P Engineer.

1225-8
L+.103-92 / 15/3/07.

+ Rd 1638

Where was the
Is there any ref. to the Kukkerselle reservoir being transferred to the Municipality
here
Yes
2/3/07.

Resubmitted Please see Chief Engr's ltr 2688 and 2779 of 23 June & 4 July 1891 respectively (Sl ltrs 10 & 11 in file 1039 of 1892 part III)
Sny 4/3/07

Vol. . . .
20

The Secretary to the Mysore Govt Revenue -

Letter etc 1080 dated 26 February 1901 from the Secy to the Govt of Mysore in the P W D requesting sanction to an estimate for Rs 11492 for the working and maintenance charges of the Vani Vilas water works of the Mysore City for the year 1900-1901 and stating that

Samuel
sanction
2/3/01
Sny 3/3/01

x no provision has been made therein for the upkeep of the Kukkerahally water supply reservoir, which is reported to have been transferred to the City

From the Dairy -
No 46 R 12/3/01 (L 115)

Order thereon

Has the Govt to forward

The estimate received with the above and to request that the same is sanctioned subject to the usual conditions as to the submission of full charge actuals for the year

to report whether the Municipal Commissioners are prepared to accept the charge of and to maintain the above works

[illegible] the Municipality
at the close of the
year

[illegible] 12/31/07

Secretary
[illegible]

To

The Chief Engr.
President Bd. Comr.
[illegible]
[illegible]

from which the Municipality
derived the
net - Thereby
Bonded - Providing
for the deficit
which would be raised
at once if no
reasonable provision
from any of the
sources mentioned in the
Budget - in question -
Taxes & Rents is
respectfully

12/31/07

[illegible]
12/31/07

Dear

Thank you for your letter
I send
herewith the Annual
Report of the Water
Department
for the year
ending December 31st
1907
Please let me
know if you wish
any more
Yours truly
[illegible]
Chief Engineer
12/31/07

Mail 28-90-37

[illegible] President of the [illegible]
City Union [illegible]
[illegible]ion.

[illegible] 15th [illegible] 1901.

[illegible] 12258
[illegible] 143-92

Fair Draft

Mod

11399 by 6-4-01

Vol 28-90-38

Chief Engineer

The Secretary to Government
General & Revenue Dept th.

3rd April 1901

1960

Forwarding Sanitary Works Superintending Engineers No: 924/208 explaining the difference of 636-13-8 between his and the Examiner's account and requesting Government Sanction for the recovery from the Municipality of the amount specified.

L 7 13.
6-4-01

From

The Superintending Engineer
Sanitary Works

To

The Chief Engineer of Mysore

Dated Bangalore 28th/30 March 1901

No: 724/208

Chief Engineer's endorsement No: 1628 of 19th March 1901, forwarding copy of General Secretary's No: 11882/F L 103-92 of 8th Instant and requesting to explain the difference of Rs 636-13-8 between the figures furnished by the Examiner and the Superintending Engineer for the maintenance charge of Vani Vilasa Water Works for the year 1899-1900, and observing in para 2 that the Municipal President objects to accept the charges for completing the works etc and requesting explanation on the points noticed

———o———

Has the honour to report that a charge of Rupees 636-13-8 was made to this estimate for cleaning and setting up two High Pressure Turbines which has since been written back to Stock in the Accounts for February 1901 as intimated to Examiner in this office

No:

No: 2140 - 423 of 11-9-1900. The amount to be recovered from Municipality is, therefore only Rs: 11,305-1-8 to which the Municipal Vice President has no objection

II The original references are herewith returned.

(Sd) Standish Lee
Superintending Engineer
Sanitary Works

No: 1960

Copy of above is forwarded to Secretary to Government General and Revenue Departments with reference to his No: $\frac{1188^2}{103-42}$ dated 8th ultimo, with a request that he will be good enough to obtain Government Sanction for recovery of the amount sanctioned, to which the Municipal Vice President is said to have consented.

Captain
R E

Bangalore
3rd April 1901

Dy: Chief Engineer of Mysore

P.T.O.

R. L. 1956

No. 14435 29/4/01
L7.103-92
Time bar

To 28-90-39
The President
Municipal Commrs
Mysore City

In continuation of
this office Docket no. 12258
L7.103-92
of the 15th March 1907 I have
the honour to forward herewith
for favour of an early
reply copies of the Chief
Engineer's memo no. 1960
of the 3rd April 1907 and
its enclosure

'By order'

14/4
Forwd
29/4

Rec'd. 29/4/01.

L 213 Pl

1901

~~189~~ 13763

FROM The President, Ootacamund Commissioner

To The Secretary to the Govt of Mysore General & Rev Depts

Dated

Despatched } 22nd May 1901

Received

General No. 746

No.

No. Enclosure No. 1

Soliciting Government to sanction the extra charge of the Vani Vilas Water works for the year 1900 1901, from the Provincial Funds

A.S. Chas
27.5.01

Note put up
28/5

No. 746

Enc. No. 1

MYSORE CITY MUNICIPAL PRESIDENT'S OFFICE,

Dated 20th May 1901 ~~189~~ .

Rec'd 28 9c-'1

To

The Secretary to the Government
of Mysore
General and Revenue Department.

SIR,

With reference to your docket No 12258/L.J 10392 dated 15th March 1901, forwarding an Estimate for Rs 11,492/ for the working and maintenance charges of the Vani Vilas Water Works of the Mysore city for the year 1900-1901, received with the P. W. D Secretary's letter no 1080 dated 26th February 1901 and requesting to report whether the Municipality is prepared to accept the charge, I have the honor in resubmitting the above Estimate and report, to state that in the Current year's Budget, a Sum of Rs 6000/- is provided towards the maintenance charges of the work as was done in the last year and the Same may be accepted.

With regards to the extra charge of Rs 5492/-, the financial Condition

of the Municipality does not permit of meeting the Same from municipal funds; and the Board have requested that the Government be moved to continue to bear the cost from the Provincial funds as heretofore, till the Municipal finances improve. A copy of the resolution is herewith Submitted.

I request, therefore, that you will be good enough to obtain the Sanction of the Government to the Board's proposal.

I have the honor to be,
Sir,
Your most obedient Servant
Hingston
For President

mm

Extract from the Proceedings of the Mysore City Municipal Board, dated 24th April 1901.

x x x

VIII Docket no 12,258/27103/92 dated 15th March 1901, from the Secretary to the Government of Mysore, forwarding for acceptance, an Estimate amounting to Rs 11,492 for the working and maintenance charges of the Vani Vilas Water works of the Mysore city for 1900 1901.

Resolved that as the financial Condition of the Municipality does not permit of bearing this charge, the Government be moved to continue to debit the cost from Provincial Funds as heretofore, till the Municipal finances improve.

x x x

(Sd) A Ramanuja Iyengar
President

True Copy
For President.

mm

Sanitary Area

Estimate of the probable [illegible]

Connected with the Sewerage

£28-90-40

Sheet No.

Outlet to tail race

Earthwork excavation

Face wall & wing walls	1	15	2	6	22	6
Brick in chamber						
Face wall with returns	1	15	2	6	22	6
Do Do	1	15	1	6	11	6
Returns	2	1	6	1½	9	
Total in chamber					42	45
Chamber plastering						
Face wall & returns	2	15	2		6	
returns	2	1	1		4	
Face of wells	1	16	1		8	
Total chamber		16			18	
Rock stone work						
wing	2	1	2	6	44	16
Earthwork filling						
Filling back of culvert	1	21	6		126	
Do Do			1	7		
Total						81
Turf in						
Slope above culvert	2		5		10	
Sundry repairs do [illegible]						

STRETTENDINGER

Constructing works to regulating

Sluice

	2	5	2	4	240	
	2	5	1/2	5	62.5	
					165	465
	2				225	2.25
						10%

Sanitary Circle — Abstract of Sluices & Sluiceways

Abstract estimate of the probable cost of executing the works connected with the Turton Sluices at [illegible]

Item of works	Unit	Scale			Quantity	Cost	Total
Inlet to Tail race							
Earthwork excavation	Cyd	"	2	"	27	3	
Brickin Chunam	Cyd	"	5	"	45	86	
Chunam plastering	Syd	3	"	"	2 72	"	
Rough stone work	Cyd	1	"	"	16	16	
Earth filling	"	"	1	6	56	5	
Turfing	Syd	"	8	"	1	6	
Sundry repairs to damaged parts of Sluices	Lumpsum					10	
Total inlet work							135
Constructing wings to regulating Sluice							
Brickin Chunam	Cyd	"	3	"	165	82	
Chunam plastering	Syd	3	"	"	2 25	"	
Earthwork excavation, removing & resetting revetment	Lumpsum					10	
Total constructing regd for Sluice							104
Add contingencies at 5 percent							11
Grand Total							[illegible]

7/5/99
13/11/04

Scale — 6 inches

"True copy"

13/11/04

524
4 - FEB 1901

Native washing							
Front wall	1	41	8		328		
Cross walls inside	6	18	7		172		
Total					1300	Sqrs	13 00
Compound wall not repairing also fencing							
Rear wall	1	41			41		
Cross walls	4	18			72		
Total Rft					113	Rft	1·13
Laundry, repairs to building							
walls in & out				Lumpsum		Rs	10
Block 103. one room.							
Shifting & relaying Isles with Chunam border							
all including	2	19	14		532	Sqrs	5·32
Native washing							
Front & rear walls	2	18	8		288		
Sides	2	22	11		484		
Inside	1	62	7		538		
Total					1320	Sqrs	13·30
Repairs to doors & windows				Lumpsum		Rs	2
Repairing the flooring & approaches				90		Rs	5
Repairing kitchen of the old Mechanic quarters.							
Shifting & relaying Isles	1	6	10		60	Sqrs	·60
Repairing the walls & flooring of kitchen & latrine Mechanic Quarters &c.				Lumpsum		Rs	3
Repairing the flooring & walls here & there & patching up Chunam floor & &c				Lumpsum		Rs	4·5 2·5

Estimate of the probable cost of repairing the Barracks quarters of the 1st Leicester Regt at Belgaum.

Nature of work	Qty	Rate			Amount
East block of 4 rooms & a workshop.					
Removing & relaying tiles with					
Chunam & order 1.	Sqrs	2	8	0	13.32
Repairing Compound walls &c	Rft	0	4	0	14.2
White washing	Sqrs	0	3	0	20.25
Repairing pials in front	Each	0	12	0	4
Sundry repairs to walls floors &c			Lumpsum		
Repairs to Latrine		do			
Total					
Block No 2, 3 Rooms & stable.					
Removing & relaying tiles &c	Sqrs	2	8	0	14.70
White washing	Sqrs	0	3	0	13.00
Repairing Compound walls &c	Rft	0	4	0	113
Sundry repairs to walls floors			Lumpsum		
Total					
Block No 3 one room.					
Removing & relaying tiles &c	Sqrs	2	8	0	5.32
White washing	Sqrs	0	3	0	13.50
Repairs to doors & windows			Lumpsum		
Repairing the flooring & pials			do		

Total

133

Repairing kitchens of the old Machinery Quarters			
Renewing telegraph line &c	4 yds 2	8 @ 60	2
Repairing the walls & flooring of kitchens & latrine	Lumpsum		3
Total			5
New Machinery Quarters			
Repairing the flooring & walls in the kitchens & latrines	Do		45 ~~25~~
Total			238 ~~218~~
Add Contingencies at 5 percent			12
Grand Total			250 ~~230~~

222 cheques/Coy
Sanjivan 5.14

Executive Engineer
Superintending Engr

This Estimate has been included in the Estimate for the Working & Maintenance Charges of the Vani Vilas Water Supply Works for 1900-1901

ABD
23/9/00

— Abstract —

Estimate of the cost of [illegible]
for carrying [illegible]
the [illegible]

Details of works		
For one Filter-bed —		
Removing Filtering Materials	1	
Deduct for waste	1	
Balance		
Washing & repacking		
Sand	1	
Gravel Shot size	1	
" Pea size	1	
" Bean size	1	
" Walnut size	1	
Total cft		
Deduct for waste	1	
Balance cft		
Repacking bricks with an addition of ¼ inch to compensate for breakage &c		
Bricks as per Arrgeal estimate		
Carting away sand washing and packing		
Additional quantity of Gravel &c		

Laying air pipes —

Fitting up Jacket apparatus —

Covering with Charcoal

Scraping out old plaster

Stacking repairs

Carrying down —

26	1/2	2	1/2	10	6		
26	3/2	2	2	19	8	7 1/2	

Estimate of the probable cost of
Excavating and refilling trench
for 3 fisheries, leads & the Victoria
Reservoir.

Nature of work				Cost
Removing fisheries, all complete	100	2	0	97
Breaking & refastening				200
Re-laying brick arch & additional security to				12
Compensate breakage	100			60
Carting Convey Sand washing & loading	6 loads			✓
~~Extra for Concreting floor~~				
Brickwork Cement Mortar				
Plastering with Cement				
Sergeant outside persons Labour				
Total for 3 fisheries				889
For 3 fisheries		889		2667
Add Contingencies 5%				133
Expended				
				2800

Witness
Date

checked and
entered in the
V.V water works maintenance
Estimate - HDP
31-8-01

Sanitary works:-

Estimate of the probable cost of Raising the Service Reservoirs in the Filter beds of the Vani Vilas Water works

Dry Stone:-

Details of work	No:	Dimensions			Contents	Quantity
Brick in Surki in Mortar	78	1½	¾	3½	304	304 Cft:
Plastering with Surki mortar	78	3½	2	-	5.46	5.46 Sqrs:
Scraping out old plastering and repairing parapet walls	Lumpsum				Rs:	40.

Abstract:-

Items of work	Per	Rate			Quantity	Cost
Brick in Surki Mortar	Cft	"	3	"	304	58
Plastering with Surki mortar	Sqrs	3	"	"	5.46	16
Scraping out old plastering and repairing parapet walls	Lumpsum				Rs	~~40~~ 22
Total Rupees						~~84~~ 96
Add Contingencies @ 5 per cent						4
Grand Total	Rupees					~~88~~ 100

Bangalore
6th August 1900

The above cost has been included in the Estimate for Working & Maintenance charges of the Vani Vilas Waterworks for 1900-1901

for Rs 1/3/1900

SECRETARIAT OF
No. 3476
15 AUG. 1906
Mysore P. W.

528

Sanitary Circle.

Estimate of the probable cost of Raising the Air holes in the Filter beds of the Vani-Vilas water works - Mysore.

Estimate amount Rs: 100/- ~~88/-~~

Abstract of Quantities & Estimated Cost of Proposed Additional Service Reservoir at Vani Vilas Water Works for the Town of Hubli.

Description of work	Qty	Unit	Rate	Quantity	Cost	Total
Valve House						
Earthwork excavation & refilling	cft	"	4	210	5	
Brick in cement mortar	cft	"	3	1207	226	
Concrete in cement mortar	cft	"	2	41	7	
Plastering with C. Mortar	Sft	3	"	11.5	.5	
Total						324
South Service Reservoir						
Brick in C. Mortar	cft	"	"	441	83	
Plastering with C. Mortar	cft	3	"	586	18	
Forming slope to receive masonry work	Lump sum				2.5	
Filling out water from Valve House			20		15	
Plastering	Sft	"	4	67	17	
Total						441 158
Total Rs						482 480
Add Contingencies @ 5 per cent						24 20
Grand Total Rs						500

The above cost has been included in the Estimate for Working & Maintenance Charges of the Vani Vilas Water Works for the year 1900 1901.

Accepted for
Hubli

HW C

Have files checked

Submit for sanction of writs

7/9/60

Mysore Water Supply Works.

Statement of the quantities of Earth work, Brick work, Plastering &c. at the various portions of the Valve House & Pipe Culverts of the Varuna Vilas water works for the year 1894.

Details of works	No.	Length	Breadth	Height	Quantity
Valve House.					
Earth work excavation & refilling					
South Service Reservoir	1	20 4½	18 1½	18	3169
North ——— Do ———	1	28 4½	2	36	1512
Total c/f					4681 cf 2 1/2
Brick in Surki Mortar.					
Skin wall in North S. Reservoir	1	44	¾	24	792
——— Do ———	1	25	¾	4	75
——— Do ———	1	25	1⅛	7	7
Do South S. Reservoir	1	18	1⅞	4	135
——— Do ———	1	18	1½	5	135
——— Do ———	1	8+2	¾	4	63
Total c/f					120 cf .717
Concrete in S. Mortar foundation	1	18	2¼	1	41
Plastering with Surki Mortar					
North Service Reservoir	1	43	25		1075
Steps ———	1	26	3		78
Total					1153 1 1 1/2
South S. Reservoir.					
Brick in Surki Morta	2	172	¾	1	258
	2	82	¾	1	185
Total					443 cft 443
Plastering with S. Mortar	2	172	1		344
	2	82	1		244

[illegible]						
[illegible]						
[illegible]						

Annexure

Mysore W. S Scheme

Estimate of the probable Cost of Relaying 3" G.I. pipe line feeding [illegible]

Details of works	No	Dimensions	Contents	Remarks
C.I pipes 9' long	3		3	No 3
— Bends	4		4	No 4
Lead Joints	4		4	No 4
Excavating & filling	1	Lump	Rs	10

Abstract

Items of work	Rs	Code	Quantity	Cost
3" C.I pipes 9' long	Each	12 - -	3	36
3" Bends	do	5 - -	4	20
Lead Joints	do	1 . .	4	4
Excavating & filling &c		L - -	Rs	10
Total				70
Contingencies @ 1/2				3
Grand				73

Entered in the maintenance estimate of V.V water works

APP 21-1-01

N.B. Calculation


528
4 SEP 1801

Sanitary Circle — Mysore N. S. Range —

Estimate of the probable cost of white washing Drivers quarters near the Pumping station at — Clagella.

Details	No.	Dimensions			Area
White washing					
Outerear of centre room —	6	52	14	"	4368 ✓
— do — do —	2	56	14	"	1568 ✓
Gables —	16	13	4 1/2	"	450 ✓
bath rooms —	4	31 1/2	9	"	1311 ✓
— Do —	1	32	7	"	224 ✓
Gables of bath sides	2	11 1/8	2	"	45 ✓
Store room —	4	28 1/2	9 1/2	"	1083 ✓
Rear Veranda of Drivers quarters.	3	10 5/8	11 1/2	"	366 ✓
— " — " — Superintendents quarters	1	14 5/8	11 1/2	"	168 ✓
Room of bay windows —	1	30	7 1/2	"	225 ✓
End walls of rear veranda —	10	7 1/4	9 1/2	"	688 ✓
Rear Veranda portion of rear wall —	6	1/2	7 1/2	"	~~523~~ 22
terear front wall of veranda ends —	1	122	11 1/2	"	1403 ✓
all above veranda roof —	1	290	1 1/2	"	435 ✓
nds of portions of front veranda walls —	5	1 1/8	7	"	39 ✓
Sides of — " — " —	10	8 3/4	9	"	~~787~~ 787
rd walls of main building —	2	15	12	"	360 ✓
able over — " — " —	2	15	5/2	"	75 ✓
ear wall of rear veranda rooms —	1	129 1/2	7	"	907 ✓
ids and rear walls of bath room —	1	26 1/2	7	"	186. ✓
rapet wall in front of veranda	2	62	1 1/2	"	186. ✓
of rear veranda openings —	10	1 1/8	7	"	79 ✓
Total Sqear —					14975

			B/f		14975	
Deductions						
Rear Veranda openings	3	10	7	"	210 ✓	
" " "	2	6	7	"	84 ✓	
Doors in main rooms	12	3 1/2	6 1/2	"	273 ✓ 274	
" " bath rooms	4	3	6	"	78 ✓	
" " "	9	3	6	"	176 ✓	
windows in main wall	14	3	4 1/2	"	189 ✓	
" " Bay "	2	2	4 1/2	"	18 ✓	
ventilators main wall	16	3	1 1/2	"	72 ✓ 32	
" " "	4	2	2	"	16	
" " stores and bath rooms	5	2 1/2	1 1/2	"	19 ✓	
			Total Deduction while washing		~~1475~~ ~~1455~~ 1135	
			Balance while washing Square		~~13810~~ Sq ~~13,810~~	138.40 138.40
Repairing tiled flooring with cement pounding						
Front Veranda	121	6 3/4	"	"	817 ✓	
Rear "	3	10 1/8	6 3/4	"	205 ✓	
Bath rooms	4	9 1/2	6 3/4	"	256 ✓	
Store rooms	4	6 1/2	6 3/4	"	176 ✓	
Veranda off drivers quarters	3	10 1/8	6 3/4	"	205 ✓	
" Superintendents quarters	1	14 1/8	6 3/4	"	95 ✓	
Bath room	1	9 3/4	5 3/4	"	56 ✓	
			Total flooring Square		1810 1800 Sq ft	18.10 18.00
Repairs to doors and windows			Lumpsum		Rupees	15 ✓
Replacing patten tiles over the roofing			Lumpsum		Rupees	5 ✓
Kitchen						
white washing						
Out side wall all round	1	76 3/4	6 1/2	"	499 ✓	
Basement	1	77 3/4	1	"	78 ✓	
			Total white washing		577 Sq ft	5.77 ✓
Lumpsum repairs to flooring and roofing			Lumpsum		Rupees	5 ✓

Latrines

Repairs to flooring and maidum aro , mm J

Abstract

Items	Per	Rate	Quantity	Cost	Total
Drivers quarters.					
White washing	Sqr	" 3 "	1384) 13.910	26	✓
Repairing tiled floors with cement pointing	"	" 8 "	18.10 18.00	9	✓
Repairs to doors and windows	Lump Sum		Rupees	15	✓
Replacing pattu tiles over the roofing	"	"	"	5	✓
Kitchen					
White washing	Sqr	" 3 "	5.77	1	✓
Sundry repairs to roofing and flooring	Lump Sum		Rupees	5	✓
Latrines					
Repairs to flooring & maidum around	Lump Sum		Rupees	10	✓
Total	Rupees				71 ✓
Add Contingencies at 5 per cent					4 ✓
Grand total	Rupees				75 ✓

Entered in the maintenance estimate

22nd January 1901

Checked
MRP
29-1-01

Superviser
Nilgiris Dt Range

Sanitary works Department

Estimate of the probable costs working & maintenance charges of the Vani Vilas Water Supply works for the city of Mysore for the year 1900–1901.

Item No	Items	Per	Rate	Unit	cost Total
	Establishment.				
	(a) Pumping Station at Belgola				
	Pumping Staff according to the Revised & Sanctioned in Chief Engineer's No 2130 dated 15th May 1900.				Rs.
1	Superintendant Pay	Rs	100		115
	Horse allowance	"	15		
5	Drivers:—				
	1st Driver	Rs	60		210
	2nd Do	"	50		
	3rd Do	"	35		
	4th Do	"	35		
	5th Do	"	30		
1	Apprentice				20
	Carpenter and Smith				20
3	Cleaners at 8 Rs/-				24
1	Gardener				6
1	mile cooly				6
1	Scavenger				6
5	Sowdies @ Rs 6/-				30
					437
	(b) Head Distribution Works at Vontikoppal				
1	Sowdi				9
1	Turnkey				8
1	Telephone boy				3
					20
	Total Establishment Rs 457	month	457	"	" 12 5484
					5484

Carried over

Brought forward 5,484

Maintenance charges.

2 ## Masonry Structures

Special Repairs

(a) Repairs to the Turbine House at Belgola. as per separate Estimate accompanying 250

(b) Repairs to Servants quarters at —— Do —— Do 250

(c) Washing and repacking filtering materials in the filter beds at Vontikoppal. —— Do 2800

(d) Raising air holes in the above Filter Beds. —— Do 100

(e) Repairs to the Valve House and cross bund between the Service Reserve at Vontikoppal. 500

(f) Cost of relaying 3" main pipe line Feeding Fort Hale agrahar at Mysore. 73

(g) Cost of white washing to Drivers quarters at Belgola. 75

Ordinary Repairs

(h) Repairs to the Regulating Sluice pump wells, Tail Race. Pure water Tank &c Lump sum 300

(i) Repairing Fountains and Valve Chambers. 200

4548

3 ## Machinery

ordinary repairs to Turbines and Pumps, Rising and Delivery mains Valve House machinery, Feed pipes to Filter beds and pure water tank. 500

4500

4 ## Sundry articles to Consumption

Crank oil, Tallow, Plumbago, Tar Charcoal, Emery paper, white lead Cotton waste, yarn, Kerosine oil &c &c Mon 50 " " 12 600

600

Carried over —

1113

Brought forward 11,132

5 Medical charges

Costs of medicines for the use of the pumping staff and allowances for the medical officer visiting the Pumping Station from Seringapatam. month 30 " " 12 360 360

Grand Total Rs 11,492.

Bangalore
31-1-1901

Compared
A&P
1.2.1901

Superintending Engineer,
Sanitary Works.

Sanitary Works Department.

Estimate of the probable cost of working and maintenance charges of the Vani Vilas Water Supply works of the Mysore city for the year 1900-1901.—

Amount Rupees 111492

maining one Filter-bed having been refacked last year. Provision has accordingly been made.

(e) The Raising of the sides in the Filter-beds is necessary to prevent unfiltered water being driven through them into the Pure water tanks during high winds.

(f) The Soil of the Cross Bund between the Service Reservoirs for about a foot in depth from the floor of the Reservoirs was very loose and Sandy and in consequence water was passing through it by the Sides of the Valve House from one Reservoir to the other. Walls had to be built to the sides of the Service Reservoirs above water level to protect the Valve House and the Cross Bund from damage. The work being urgent has been carried out in anticipation of Sanction.

The provision made under ther items is as usual.

Bangalore — 31st January 1901

1-2-01

1:4

Sanitary works Department:-

Report to accompany Estimate for working and maintenance Charges of the Vani-Vilas water Supply works of the Municipality for 1900-1901:-

---

References:- Nil.

Item no: 1:- Pay of Establishment:-

The provision made for the Pumping staff &c. in accordance with the Revised Scale Sanctioned in Chief Engineers no: 2130 dated 15th May 1900.

Item no: 2- Special Repairs:-

(a) & (c)- Some repairs to the Inchcape Houses and Servants' Quarters at Balgola were very urgently needed and they have been carried out to the extent provided.

(d):- The Filtering materials in the Filter-beds were packed more than 4 years ago. Since then a large quantity of Silt and Sediment has accumulated blocking up the interstices. As the filteration of water is thus greatly impeded at pre- it is very necessary to wash and repack the materials in 3 of the Filter-beds, the

remaining

Read -

m L-26-90-41 Correspondence ending with the letter no. 821 dated the 18th June 1901 from the President of the Municipal Commission, Mysore City, in regard to the adjustment of the maintenance charges of the Vanivilas Water Works for the year 1899-1900, amounting to Rs 11305-1-8

Q.L.66.

703-5
L.L. 103-92. 9/7/5/01

order thereon

The cost of maintenance of the Water Works is a proper charge on the Municipality and ought to be borne by it. One provision therefor will be made in the current year's Budget

of

of the City Municipality

which is now before Govt.



15/7/1901

For Secty.

15/7/01

To

The Presdt. & Commrs.,

Mysore City.

" Comptroller.

" Chief Engr.

Read -

128-90-42

Correspondence ending with letter no 746 dated the 22nd May 1901 from the President of the Municipal Commission Mysore City, in regard to the adjustment from Provincial funds of a portion (as 5492) of the maintenance charges of the Vani Vilas Water Works for the year 1900-1901 amounting to ~~Rs 11492~~ Rs 11492/-

Rs 128

1584-86
Lt.103-92 827/7/01

Order thereon

It is observed that the cost of maintenance of the water works is a proper charge on the Municipality which has to meet it either by making provision for it in the Supplemental Budget

or by stopping works of not
~~not~~ an urgent nature or
by debiting it to savings in
the current year's Budget.

The President is therefore requested to
submit a report ~~to Govt. for~~
~~board~~ ~~does not in two months~~
as to how he proposes to adjust
the same in the light of the
above instructions. JBB 25/7.
For Secy.
Dy. 26/7

To
The President, Rly. Commn. Imphone Telly.
Comptroller.
Chief Engineer -

L 251

2329 1901

MYSORE P. W. DEPARTMENT

From

THE CHIEF ENGINEER
OF MYSORE.

To The Secretary to Govt: General & Rev: Depts.

Dated Bangalore, 16-8-1901

Despatched

No. 4546

Enclosure No. 1 Statement.

SUBJECT.

Forwarding a statement of expenditure incurred Vani Vilas Water Works for adjustment of the outlay by Mysore C. Municipality.

128-90-43

To the P.W.D. Board by mail for 4453 11/1/1901

L 7
1900.
The file L 7 103-92 is with the 3d Commissioner
1918/01

Submitted. etly.
the perusal of the file
be annexed 20/8/01

file received & note contd. mal
7/c

Mysore P.W.D. Central Office

No 4546 Dated Bangalore 16th August 1901

From

W.McHatchin Esquire, M.I.C.E.

Offg Chief Engineer of Mysore.

To

C.V.Nanjundayya Esquire, M.A., M.L.

Secretary to the Government of Mysore,

General and Revenue Department.

Sir,

In continuation of my letter No.1080 (1504) dated 26th February last, forwarding for sanction of Government an estimate amounting to Rs.11,402/- for the working and maintenance charges of the Vanivilas Water works for the year 1900-1901, I have the honour to forward the enclosed statement (submitted by the Superintending Engineer, Sanitary Works) showing the actual expenditure incurred on the work, and to request that you will be so good as to issue necessary orders for the adjustment of the outlay therein noted (viz Rs.9656-11-9) by the Mysore City Municipality.

2. The turbines Nos.1 and 2 are being overhauled and an estimate of cost of same will be submitted in due course.

I have the honour to be,

Sir,

Your most obedient servant,

W. McHatchin

Offg Chief Engineer of Mysore.

B.S.T.

SECRETARY'S OFFICE
Reg'd No
-5 AUG 1891
Mysore P. W. Dept.

1890-43.

	...ng-e reser...e water tank	300	400	-	5	100	"	5	"	"	"	Expenditure as actua ...ecu
10	Repairing fountains and Valve chambers	200	292	8	2	92	8	2	"	"	"	Repairs have to be ...redone when handing over charge to municipality.
11	Repairs to Turbines &c	500	582	15	"	82	15	"	"	"	"	Actual requirements.
12	Sundry articles Crank &c	600	870	"	1	270	"	1	"	"	"	——— do ——— do ———
13	Medical charges	360	397	15	"	37	15	"	"	"	"	——— do ——— do ———
14	Constructing weir and discharge Sluice across drawing channel	"	405	15	10	405	15	10	"	"	"	Estimate approved and ordered to be debited to maintenance Estimate Vide Chief Engineers No: 3307 dated 29th June 1899.
15	Clearing Silt in Tail Race	"	208	15	"	208	15	"	"	"	"	Estimate approved and the work was ordered to be carried out by the Chief Engineer in his No. 3467 dated 26/7/01
	Total Rs:	11,492	9656	11	9	1375	5	3	3210	9	6	

Bangalore
31-7-01.
5/8/01.

Superintending Engineer,
Sanitary Works

R - 706 -

No 24577/1901
L - 1902

Encl 2 -

The President, Municipal Commission, Mysore City.

In forwarding herewith a copy of the Chief Engineer's letter No 46 dated the 16th August 01 enclosure in regard to maintenance charges of Chitaldrug Water Works for the year 1900-1901, has the honour to observe that the total cost which the Municipality has to provide for as per present calculation is Rs 31 and request that the President will be good enough to expedite the same by issuing Govt Progs: No 15-17 dated 27th July 1901.

"By order"

For Secretary

Dy 9/8/01

| | | |

7359
9 Nov 01

£ 95 a

Gen 201

From

[illegible]

Vol 28-90-45

The Secretary to the Govt of Nyasa

Re Govt Rest

To Mr Crawshaw 28/11/02

Dated

Despatched 7 Dec 1902

Received

General No. 3916

No 587

Enclosure No.

In reply to

SUBJECT.

Requesting to obtain sanction of Govt for appointment of Hosp Sgt 5941—15—4 Hemp to charge of Native Hospital

05/.

References (to be entered only by Despatch Office).

arpd.

Submitted

Please see sl no 44 Section 4 para 15 of the Govt order the current years City Budget a copy of which is forwarded in

156

ACCOUNT CURRENT DEPARTMENT

No. 3916
A.C. 597
28-90
L45-90
L 45

OFFICE OF THE COMPTROLLER OF MYSORE.

Bangalore, 2nd December 1900. 189

From

E. R. SUBRAYER, Esq., F.A.S.C.P.

Comptroller, Mysore Government.

To V.P.Madhavarayya, Esq., M.A.M.L.

~~The~~ *Secretary to the Govt. of Mysore,*

General and Revenue ___ *Depts*

Sir,

L 45-4

In inviting attention to this Office No.2965 dated 15th November 1900, soliciting instructions for the adjustment of Rs.1041 13-4 being the balance amount of maintenance charges Vanivilas Water Works for the year 1896-1900, I have the honor to request that you will be so good as to obtain the sanction Government at an early date for the same, minus Rs.637-13-0 sequently withdrawn by the Examiner

I have the honor to be,

Sir,

Your most obedient servant,

E Subrayer

Comptroller.

Read. no 28-90-46

Letter no. 3946 dated
Ae. 597

the 2d December 1901 from the Comptroller in response, soliciting instructions in regard to the adjustment of a sum of Rs 5304-1-8 being the balance of the maintenance cost of the Vanivilas water works for the year 1899-1900.

Total maintenance charge for 1899-00 = 11941-15-4

Secret:-
Amount provided therefore in the Budget 1899-1900 = 6000/-
Amount subsequently withdrawn by the Examiner = 637-13-8
} 6637-13-8

Balance = Rs 5304-1-8

1924. 1074.

Order thereon 11457-53 8/10/1902
2-7 1902

The Comptroller is authorized to adjust the amount by debiting it to the provision of Rs 17305/ 17,581 made under the head "XI Civil Works, Maintenance charges" in the current year's City Municipal Budget for "Vani Vilas water works".

2, The Examiner P. W. Accounts is requested.

to submit details for the
total maintenance cost of
the said water works for
the year 1899-1900.

Rs 3/1/02
JG

Secty
JG 13/12/01

23/12/1901

To
The Comptroller
" Examiner, L. M. Accounts
" Asst. Surveyor City Engr

Rec'd & copd. 9/02.
intto slip